




# TECH DATA

ELECTRONIC DRIVETRAINS	196
MECHANICAL DRIVETRAINS	202
WHEELS	216

# WHEELS TECHNICAL SPECIFICATIONS

	NOMINAL WEIGHT (G)*	RIM MATERIAL	RIM SECTION: HEIGHT/WIDTH - MM (NOMINAL)	ULTRA-FIT™	ASYMMETRICAL HOLES	REQUIRES RIM TAPE	RIM FINISHING	NUMBER OF SPOKES
<b>ROAD</b>								
<b>CARBON WHEELS</b>								
<b>BORA™ ULTRA™ 80 front tub.</b>	715	carb	80/20				carb	16
<b>BORA™ ULTRA™ 80 rear tub.</b>	825	carb	80/20				carb	18/G3™
<b>BORA™ ULTRA™ 80 rear tub. (HG)</b>	864	carb	80/20				carb	18/G3™
<b>BORA™ ULTRA™ Two front tub.</b>	565	carb	50/20				carb	18
<b>BORA™ ULTRA™ Two rear tub.</b>	745	carb	50/20				carb	21/G3™
<b>BORA™ ULTRA™ Two rear tub. (HG)</b>	784	carb	50/20				carb	21/G3™
<b>BORA™ One front tub.</b>	590	carb	50/20				carb	18
<b>BORA™ One rear tub.</b>	760	carb	50/20				carb	21/G3™
<b>BORA™ One rear tub. (HG)</b>	799	carb	50/20				carb	21/G3™
<b>HYPERON™ ULTRA™ Two front cl.</b>	580	carb	19/20				carb	22
<b>HYPERON™ ULTRA™ Two rear cl.</b>	765	carb	21/20		•	•	carb	24
<b>HYPERON™ ULTRA™ Two rear cl. (HG)</b>	804	carb	21/20		•	•	carb	24
<b>HYPERON™ ULTRA™ Two front tub.</b>	536	carb	19/20				carb	22
<b>HYPERON™ ULTRA™ Two rear tub.</b>	695	carb	21/20		•		carb	24
<b>HYPERON™ ULTRA™ Two rear tub. (HG)</b>	734	carb	21/20		•		carb	24
<b>HYPERON™ One front cl.</b>	615	carb	21/20,5				carb	22
<b>HYPERON™ One rear cl.</b>	765	carb	23/20,5		•	•	carb	24
<b>HYPERON™ One rear cl. (HG)</b>	804	carb	23/20,5		•	•	carb	24



RDB	SS	AE DB		UL	alu	100	carb	•	C	blk/carb		9/10/11
RDB	SS	AE DB		UL	alu	130	carb	•	C	blk/carb		9/10/11
RDB	SS	AE DB		UL	alu	130	carb	•	C	blk/carb		9/10/11
RDB	SS	AE DB		UL	alu	100	carb	•	C	carb		9/10/11
RDB	SS	AE DB		UL	alu	130	carb	•	C	blk/carb		9/10/11
RDB	SS	AE DB		UL	alu	130	carb	•	C	blk/carb		9/10/11
RDB	SS	AE DB		UL	alu	100	alu	•	S	black	•	9/10/11
RDB	SS	AE DB		UL	alu	130	alu	•	S	black	•	9/10/11
RDB	SS	AE DB		UL	alu	130	alu	•	S	black	•	9/10/11
RDB	SS	AE DB	•	UL	alu	100	carb	•	C	carb		9/10/11
RDB	SS	AE DB	•	UL	alu	130	carb	•	C	blk/carb		9/10/11
RDB	SS	AE DB	•	UL	alu	130	carb	•	C	blk/carb		9/10/11
RDB	SS	AE DB		UL	alu	100	alu	•	S	black	•	9/10/11
RDB	SS	AE DB		UL	alu	130	alu	•	S	black	•	9/10/11
RDB	SS	AE DB		UL	alu	130	alu	•	S	black	•	9/10/11


**KEY**

DB = Butted  
 AE = Aero  
 UAE = Ultra Aero  
 SS = Stainless steel  
 BR = Brass  
 S = steel  
 U = USB™  
 C = CULT™  
 SDB= Spoke Dynamic Balance  
 RDB= Rim Dynamic Balance

\* Average weight - does not include the quick-release and the rim-tape.

# WHEELS TECHNICAL SPECIFICATIONS

	NOMINAL WEIGHT (G)*	RIM MATERIAL	RIM SECTION: HEIGHT/WIDTH - MM (NOMINAL)	ULTRA-FIT™	ASYMMETRICAL HOLES	REQUIRES RIM TAPE	RIM FINISHING	NUMBER OF SPOKES
<b>ROAD</b>								
<b>ALUMINIUM - CARBON WHEELS</b>								
<b>BULLET™ ULTRA™ front cl.</b>	727	alu/carb	50/20,5				carb	18
<b>BULLET™ ULTRA™ rear cl.</b>	863	alu/carb	50/20,5				carb	21/G3™
<b>BULLET™ ULTRA™ rear cl. (HG)</b>	902	alu/carb	50/20,5				carb	21/G3™
<b>BULLET™ ULTRA™ 80mm front cl.</b>	815	alu/carb	80/20,5				carb	16
<b>BULLET™ ULTRA™ 80mm rear cl.</b>	955	alu/carb	80/20,5				carb	18/G3™
<b>BULLET™ ULTRA™ 80mm rear cl. (HG)</b>	994	alu/carb	80/20,5				carb	18/G3™
<b>BULLET™ ULTRA™ 105mm front cl.</b>	910	alu/carb	105/20,5				carb	16
<b>BULLET™ ULTRA™ 105mm rear cl.</b>	1050	alu/carb	105/20,5				carb	18/G3™
<b>BULLET™ ULTRA™ 105mm rear cl. (HG)</b>	1089	alu/carb	105/20,5				carb	18/G3™
<b>BULLET™ front cl.</b>	785	alu/carb	50/20,5				carb	18
<b>BULLET™ rear cl.</b>	970	alu/carb	50/20,5				carb	21/G3™
<b>BULLET™ rear cl. (HG)</b>	1009	alu/carb	50/20,5				carb	21/G3™
<b>BULLET™ 80mm front cl.</b>	865	alu/carb	80/20,5				carb	16
<b>BULLET™ 80mm rear cl.</b>	1065	alu/carb	80/20,5				carb	18/G3™
<b>BULLET™ 80mm rear cl. (HG)</b>	1104	alu/carb	80/20,5				carb	18/G3™



RDB	SS	AE DB	DRSC™	alu	100	alu	•	S/U/C	black	•	
RDB	SS	AE DB	DRSC™	alu	130	alu	•	S/U/C	black	•	9/10/11
RDB	SS	AE DB	DRSC™	alu	130	alu	•	S/U/C	black	•	9/10/11
RDB	SS	AE DB	DRSC™	alu	100	alu	•	S/U/C	black	•	
RDB	SS	AE DB	DRSC™	alu	130	alu	•	S/U/C	black	•	9/10/11
RDB	SS	AE DB	DRSC™	alu	130	alu	•	S/U/C	black	•	9/10/11
RDB	SS	AE DB	DRSC™	BR	100	alu		S/U	black	•	
RDB	SS	AE DB	DRSC™	BR	130	alu		S/U	black	•	9/10/11
RDB	SS	AE DB	DRSC™	BR	130	alu		S/U	black	•	9/10/11
RDB	SS	AE DB	DRSC™	BR	100	alu		S/U	black	•	
RDB	SS	AE DB	DRSC™	BR	130	alu		S/U	black	•	9/10/11
RDB	SS	AE DB	DRSC™	BR	130	alu		S/U	black	•	9/10/11

**KEY**

DB = Butted

AE = Aero

UAE = Ultra Aero

SS = Stainless steel

BR = Brass

S = steel

U = USB™

C = CULT™

SDB= Spoke Dynamic Balance

RDB= Rim Dynamic Balance

\* Average weight - does not include the quick-release and the rim-tape.

# WHEELS TECHNICAL SPECIFICATIONS

	NOMINAL WEIGHT (G)*	RIM MATERIAL	RIM SECTION: HEIGHT/WIDTH - MM (NOMINAL)	ULTRA-FIT™	ASYMMETRICAL HOLES	REQUIRES RIM TAPE	RIM FINISHING	NUMBER OF SPOKES
<b>ROAD</b>								
<b>ALUMINIUM WHEELS</b>								
SHAMAL™ ULTRA™ front cl.	605	alu	24/20,5		•		black	16
SHAMAL™ ULTRA™ rear cl.	820	alu	30/20,5		•		black	21/MG3™
SHAMAL™ ULTRA™ rear cl. (HG)	859	alu	30/20,5		•		black	21/MG3™
SHAMAL™ ULTRA™ front tub.	612	alu	24,5/20		•		black	16
SHAMAL™ ULTRA™ rear tub.	813	alu	28,5/20		•		black	21/MG3™
SHAMAL™ ULTRA™ rear tub. (HG)	852	alu	28,5/20		•		black	21/MG3™
SHAMAL™ ULTRA™ 2-Way Fit™ front	615	alu	24/20,5	•	•		black	16
SHAMAL™ ULTRA™ 2-Way Fit™ rear	825	alu	28/20,5	•	•		black	21/MG3™
SHAMAL™ ULTRA™ 2-Way Fit™ rear (HG)	864	alu	28/20,5	•	•		black	21/MG3™
EURUS™ front cl.	634	alu	24/20,5		•		black	16
EURUS™ rear cl.	848	alu	30/20,5		•		black	21/G3™
EURUS™ rear cl. (HG)	887	alu	30/20,5		•		black	21/G3™
EURUS™ 2-Way Fit™ front	643	alu	24/20,5	•	•		black	16
EURUS™ 2-Way Fit™ rear	857	alu	28/20,5	•	•		black	21/MG3™
EURUS™ 2-Way Fit™ rear (HG)	896	alu	28/20,5	•	•		black	21/MG3™
ZONDA™ front cl.	670	alu	24/20,5		•		black	16
ZONDA™ rear cl.	880	alu	30/20,5		•		black	21/G3™
ZONDA™ rear cl. (HG)	924	alu	30/20,5		•		black	21/G3™
ZONDA™ 2-Way Fit™ front	680	alu	24/20,5	•	•		black	16
ZONDA™ 2-Way Fit™ rear	890	alu	30/20,5	•	•		black	21/G3™
ZONDA™ 2-Way Fit™ rear (HG)	939	alu	30/20,5	•	•		black	21/G3™
SCIROCCOTM H35mm ant. cop.	788	alu	35/20				black	16
SCIROCCOTM H35mm rear. cop.	937	alu	35/20				black	21/MG3™
SCIROCCOTM H35mm rear. cop. (HG)	1004	alu	35/20				black	21/MG3™
VENTO™ REACTION™ front cl.	825	alu	24/20,5		•		black	24/G3™
VENTO™ REACTION™ rear cl.	1002	alu	24/20,5		•		black	27/G3™
VENTO™ REACTION™ rear cl. (HG)	1041	alu	24/20,5		•		black	27/G3™
KHAMSIN™ front cl.	828	alu	24/20,5		•		black	20
HAMSIN™ rear cl.	1045	alu	24/20,5		•		black	27/G3™
KHAMSIN™ rear cl. (HG)	1084	alu	24/20,5		•		black	27/G3™
NEUTRON™ ULTRA™ front cl.	630	alu	18/20,5		•		black	22
NEUTRON™ ULTRA™ rear cl.	840	alu	18/20,5		•		black	24
NEUTRON™ ULTRA™ rear cl. (HG)	879	alu	18/20,5		•		black	24



RDB	alu	AE DB		UL	alu	100	alu/carb	•	U	blk/carb		
RDB	alu	AE DB		UL	alu	130	alu/carb	•	U	blk/carb		9/10/11
RDB	alu	AE DB		UL	alu	130	alu/carb	•	U	blk/carb		9/10/11
RDB	alu	AE DB		UL	alu	100	alu/carb	•	U	blk/carb		9/10/11
RDB	alu	AE DB		UL	alu	130	alu/carb	•	U	blk/carb		9/10/11
RDB	alu	AE DB		UL	alu	130	alu/carb	•	U	blk/carb		9/10/11
RDB	alu	AE DB		UL	alu	100	alu	•	S	slv/blk		9/10/11
RDB	alu	AE DB		UL	alu	130	alu	•	S	slv/blk		9/10/11
RDB	alu	AE DB		UL	alu	130	alu	•	S	slv/blk		9/10/11
RDB	alu	AE DB		UL	alu	100	alu	•	S	black		9/10/11
RDB	alu	AE DB		UL	alu	130	alu	•	S	black		9/10/11
RDB	alu	AE DB		UL	alu	130	alu	•	S	black		9/10/11
RDB	SS	AE DB		UL	BR	100	alu	•	S	black	•	9/10/11
RDB	SS	AE DB		UL	BR	130	alu	•	S	black	•	9/10/11
RDB	SS	AE DB		UL	BR	130	alu	•	S	black	•	9/10/11
RDB	SS	AE DB		UL	BR	100	alu	•	S	black	•	9/10/11
RDB	SS	AE DB		UL	BR	130	alu	•	S	black	•	9/10/11
RDB	SS	AE DB		UL	BR	130	alu	•	S	black	•	9/10/11
SDB	SS	DB			BR	100	alu		S	black		9/10/11
SDB	SS	DB			BR	130	alu		S	black		9/10/11
SDB	SS	DB			BR	130	alu		S	black		9/10/11
	SS				BR	100	alu		S	black		9/10/11
	SS				BR	130	alu		S	black		9/10/11
	SS				BR	130	alu		S	black		9/10/11
	SS	AE DB	•	UL	alu	100	alu/carb	•	S	blk/carb		9/10/11
	SS	AE DB	•	UL	alu	130	alu/carb	•	S	blk/carb		9/10/11
	SS	AE DB	•	UL	alu	130	alu/carb	•	S	blk/carb		9/10/11

**KEY**

DB = Butted

BR = Brass

AE = Aero

S = steel

UAE = Ultra Aero

U = USB™

SS = Stainless steel

C = CULT™

SDB= Spoke Dynamic Balance

RDB= Rim Dynamic Balance

\* Average weight - does not include the quick-release and the rim-tape.