



TECH DATA

Over the course of the previous pages in this catalog you can find a great deal of general information regarding every Campagnolo product. However, if you need more specific information and technical data we have compiled an even greater resource in the following section.

Should you need yet more information please visit:
www.campagnolo.com

Please note that we reserve the right to change products, surface finish and specifications at any moment without prior notice.

ELECTRONIC GROUPSETS	122
GROUPSETS	128
WHEELS	138

WHEELS TECHNICAL SPECIFICATIONS

NOMINAL WEIGHT (g)*	RIM MATERIAL	RIM SECTION: HEIGHT/WIDTH - mm (NOMINAL)	ULTRA-FIT™	ASYMMETRICAL HOLES	REQUIRES RIM TAPE	RIM FINISHING	NUMBER OF SPOKES	DYNAMIC BALANCE	SPOKES MATERIAL	SPOKE TYPE	DIFFERENTIAL SPOKES R/L	ULTRALINEAR™ /DRSC™ GEOMETRY	NUT/NIPPLE MATERIAL	O.L.D. (mm)	HUB BODY MATERIAL	CUPS & CONES BEARINGS	BEARINGS VERSION	HUB FINISHING	SPOKE ANTI-ROTATION SYSTEM	COMPATIBILITY
---------------------	--------------	--	------------	--------------------	-------------------	---------------	------------------	-----------------	-----------------	------------	-------------------------	------------------------------	---------------------	-------------	-------------------	-----------------------	------------------	---------------	----------------------------	---------------

ROAD

CARBON WHEELS

BORA™ ULTRA™ TT front tub.	975	carbon	D/20		B				carbon					130		•	C			9/10/11
BORA™ ULTRA™ 35 front tub.	480	carb	35/24,2		B/D		18	RDB	SS	AE DB		UL	alu	100	carb	•	C	blk/carb	•	9/10/11
BORA™ ULTRA™ 35 rear tub.	690	carb	35/24,2		B/D		21/G3™	RDB	SS	AE DB		UL	alu	130	carb	•	C	blk/carb	•	9/10/11
BORA™ ULTRA™ 35 rear tub. (HG)	690	carb	35/24,2		B/D		21/G3™	RDB	SS	AE DB		UL	alu	130	carb	•	C	blk/carb	•	9/10/11
BORA™ ULTRA™ 50 front tub.	520	carb	50/24,2		B/D		18	RDB	SS	AE DB		UL	alu	100	carb	•	C	carb	•	9/10/11
BORA™ ULTRA™ 50 rear tub.	695	carb	50/24,2		B/D		21/G3™	RDB	SS	AE DB		UL	alu	130	carb	•	C	blk/carb	•	9/10/11
BORA™ ULTRA™ 50 rear tub. (HG)	695	carb	50/24,2		B/D		21/G3™	RDB	SS	AE DB		UL	alu	130	carb	•	C	blk/carb	•	9/10/11
BORA™ ULTRA™ 80 front tub.	705	carb	80/20		B/D		16	RDB	SS	AE DB		UL	alu	100	carb	•	C	blk/carb	•	9/10/11
BORA™ ULTRA™ 80 rear tub.	815	carb	80/20		B/D		18/G3™	RDB	SS	AE DB		UL	alu	130	carb	•	C	blk/carb	•	9/10/11
BORA™ ULTRA™ 80 rear tub. (HG)	854	carb	80/20		B/D		18/G3™	RDB	SS	AE DB		UL	alu	130	carb	•	C	blk/carb	•	9/10/11
BORA™ ONE 35 front cl.	505	carb	35/24,2		B/D		18	RDB	SS	AE DB		UL	alu	100	alu	•	U	black	•	9/10/11
BORA™ ONE 35 rear cl.	710	carb	35/24,2		B/D		21/G3™	RDB	SS	AE DB		UL	alu	130	alu	•	U	black	•	9/10/11
BORA™ ONE 35 rear cl. (HG)	710	carb	35/24,2		B/D		21/G3™	RDB	SS	AE DB		UL	alu	130	alu	•	U	black	•	9/10/11
BORA™ ONE 50 front tub.	545	carb	50/24,2		B/D		18	RDB	SS	AE DB		UL	alu	100	alu	•	U	black	•	9/10/11
BORA™ ONE 50 rear tub.	720	carb	50/24,2		B/D		21/G3™	RDB	SS	AE DB		UL	alu	130	alu	•	U	black	•	9/10/11
BORA™ ONE 50 rear tub. (HG)	720	carb	50/24,2		B/D		21/G3™	RDB	SS	AE DB		UL	alu	130	alu	•	U	black	•	9/10/11
BORA™ ULTRA™ 35 front cl.	575	carb	35/24,2		B/D		18	RDB	SS	AE DB		UL	alu	100	carb	•	C	blk/carb	•	9/10/11
BORA™ ULTRA™ 35 rear cl.	785	carb	35/24,2		B/D		21/G3™	RDB	SS	AE DB		UL	alu	130	carb	•	C	blk/carb	•	9/10/11
BORA™ ULTRA™ 35 rear cl. (HG)	785	carb	35/24,2		B/D		21/G3™	RDB	SS	AE DB		UL	alu	130	carb	•	C	blk/carb	•	9/10/11
BORA™ ULTRA™ 50 front cl.	630	carb	50/24,2		B/D		18	RDB	SS	AE DB		UL	alu	100	carb	•	C	carb	•	9/10/11
BORA™ ULTRA™ 50 rear cl.	805	carb	50/24,2		B/D		21/G3™	RDB	SS	AE DB		UL	alu	130	carb	•	C	blk/carb	•	9/10/11
BORA™ ULTRA™ 50 rear cl. (HG)	805	carb	50/24,2		B/D		21/G3™	RDB	SS	AE DB		UL	alu	130	carb	•	C	blk/carb	•	9/10/11
BORA™ ONE 35 front cl.	600	carb	35/24,2		B/D		18	RDB	SS	AE DB		UL	alu	100	alu	•	U	black	•	9/10/11
BORA™ ONE 35 rear cl.	805	carb	35/24,2		B/D		21/G3™	RDB	SS	AE DB		UL	alu	130	alu	•	U	black	•	9/10/11
BORA™ ONE 35 rear cl. (HG)	805	carb	35/24,2		B/D		21/G3™	RDB	SS	AE DB		UL	alu	130	alu	•	U	black	•	9/10/11
BORA™ ONE 50 front cl.	655	carb	50/24,2		B/D		18	RDB	SS	AE DB		UL	alu	100	alu	•	U	black	•	9/10/11
BORA™ ONE 50 rear cl.	830	carb	50/24,2		B/D		21/G3™	RDB	SS	AE DB		UL	alu	130	alu	•	U	black	•	9/10/11
BORA™ ONE 50 rear cl. (HG)	830	carb	50/24,2		B/D		21/G3™	RDB	SS	AE DB		UL	alu	130	alu	•	U	black	•	9/10/11
HYPERON™ ULTRA™ Two front cl.	580	carb	19/20		B	•	22	RDB	SS	AE DB		UL	alu	100	carb	•	C	carb	•	9/10/11
HYPERON™ ULTRA™ Two rear cl.	765	carb	21/20		B	•	24	RDB	SS	AE DB	•	UL	alu	130	carb	•	C	blk/carb	•	9/10/11
HYPERON™ ULTRA™ Two rear cl. (HG)	804	carb	21/20		B	•	24	RDB	SS	AE DB	•	UL	alu	130	carb	•	C	blk/carb	•	9/10/11
HYPERON™ ULTRA™ Two front tub.	536	carb	19/20		B		22	RDB	SS	AE DB		UL	alu	100	carb	•	C	carb	•	9/10/11
HYPERON™ ULTRA™ Two rear tub.	695	carb	21/20		B		24	RDB	SS	AE DB	•	UL	alu	130	carb	•	C	blk/carb	•	9/10/11
HYPERON™ ULTRA™ Two rear tub. (HG)	734	carb	21/20		B		24	RDB	SS	AE DB	•	UL	alu	130	carb	•	C	blk/carb	•	9/10/11

KEY

DB=Butted - AE=Aero - UAE=Ultra Aero - SS=Stainless steel - BR=Brass - S=steel - U=USB™ - C=CULT™ - SDB=Spoke Dynamic Balance - RDB=Rim Dynamic Balance
B=Bright - D=Dark

* Average weight - does not include the quick-release and the rim-tape.

WHEELS TECHNICAL SPECIFICATIONS

NOMINAL WEIGHT (g)*	RIM MATERIAL	RIM SECTION: HEIGHT/WIDTH - mm (NOMINAL)	ULTRA-FIT™	LABELS	REQUIRES RIM TAPE	RIM FINISHING	NUMBER OF SPOKES	DYNAMIC BALANCE	SPOKES MATERIAL	SPOKE TYPE	DIFFERENTIAL SPOKES R/L	ULTRALINEAR™ /DRSC™ GEOMETRY	NUT/NIPPLE MATERIAL	O.L.D. (mm)	HUB BODY MATERIAL	CUPS & CONES BEARINGS	BEARINGS VERSION	HUB FINISHING	SPOKE ANTI-ROTATION SYSTEM	COMPATIBILITY
---------------------	--------------	--	------------	--------	-------------------	---------------	------------------	-----------------	-----------------	------------	-------------------------	------------------------------	---------------------	-------------	-------------------	-----------------------	------------------	---------------	----------------------------	---------------

ROAD

ALUMINIUM - CARBON WHEELS

BULLET™ ULTRA™ front cl.	727	alu/carb	50/20,5		B/D	carb	18	RDB	SS	AE DB		DRSC™	alu	100	alu	•	U/C	black	•	
BULLET™ ULTRA™ rear cl.	863	alu/carb	50/20,5		B/D	carb	21/G3™	RDB	SS	AE DB		DRSC™	alu	130	alu	•	U/C	black	•	9/10/11
BULLET™ ULTRA™ rear cl. (HG)	902	alu/carb	50/20,5		B/D	carb	21/G3™	RDB	SS	AE DB		DRSC™	alu	130	alu	•	U/C	black	•	9/10/11
BULLET™ ULTRA™ 80mm front cl.	815	alu/carb	80/20,5		B/D	carb	16	RDB	SS	AE DB		DRSC™	alu	100	alu	•	U/C	black	•	
BULLET™ ULTRA™ 80mm rear cl.	955	alu/carb	80/20,5		B/D	carb	18/G3™	RDB	SS	AE DB		DRSC™	alu	130	alu	•	U/C	black	•	9/10/11
BULLET™ ULTRA™ 80mm rear cl. (HG)	994	alu/carb	80/20,5		B/D	carb	18/G3™	RDB	SS	AE DB		DRSC™	alu	130	alu	•	U/C	black	•	9/10/11
BULLET™ front cl.	785	alu/carb	50/20,5		B	carb	18	RDB	SS	AE DB		DRSC™	BR	100	alu		S	black	•	
BULLET™ rear cl.	970	alu/carb	50/20,5		B	carb	21/G3™	RDB	SS	AE DB		DRSC™	BR	130	alu		S	black	•	9/10/11
BULLET™ rear cl. (HG)	1009	alu/carb	50/20,5		B	carb	21/G3™	RDB	SS	AE DB		DRSC™	BR	130	alu		S	black	•	9/10/11
BULLET™ 80mm front cl.	865	alu/carb	80/20,5		B	carb	16	RDB	SS	AE DB		DRSC™	BR	100	alu		S	black	•	
BULLET™ 80mm rear cl.	1065	alu/carb	80/20,5		B	carb	18/G3™	RDB	SS	AE DB		DRSC™	BR	130	alu		S	black	•	9/10/11
BULLET™ 80mm rear cl. (HG)	1104	alu/carb	80/20,5		B	carb	18/G3™	RDB	SS	AE DB		DRSC™	BR	130	alu		S	black	•	9/10/11

KEY

DB=Butted - AE=Aero - UAE=Ultra Aero - SS=Stainless steel - BR=Brass - S=steel - U=USB™ - C=CULT™ - SDB=Spoke Dynamic Balance - RDB=Rim Dynamic Balance
B=Bright - D=Dark

* Average weight - does not include the quick-release and the rim-tape.

WHEELS TECHNICAL SPECIFICATIONS

	NOMINAL WEIGHT (g)*	RIM MATERIAL	RIM SECTION: HEIGHT/WIDTH - mm (NOMINAL)	ULTRA-FIT™	LABELS	REQUIRES RIM TAPE	RIM FINISHING	NUMBER OF SPOKES	DYNAMIC BALANCE	SPOKES MATERIAL	SPOKE TYPE	DIFFERENTIAL SPOKES R/L	ULTRALINEAR™ /DRSC™ GEOMETRY	NUT/NIPPLE MATERIAL	O.L.D. (mm)	HUB BODY MATERIAL	CUPS & CONES BEARINGS	BEARINGS VERSION	HUB FINISHING	SPOKE ANTI-ROTATION SYSTEM	COMPATIBILITY
--	---------------------	--------------	--	------------	--------	-------------------	---------------	------------------	-----------------	-----------------	------------	-------------------------	------------------------------	---------------------	-------------	-------------------	-----------------------	------------------	---------------	----------------------------	---------------

ROAD

ALUMINIUM WHEELS

SHAMAL™ MILLE™ front cl.	615	alu	23/20,5		B/D		black	16	RDB	alu	AE DB		UL	alu	100	alu/carb	•	U	blk/carb	•	9/10/11
SHAMAL™ MILLE™ rear cl.	811	alu	27/20,5		B/D		black	21/MG3™	RDB	alu	AE DB		UL	alu	130	alu/carb	•	U	blk/carb	•	9/10/11
SHAMAL™ MILLE™ rear cl. (HG)	811	alu	27/20,5		B/D		black	21/MG3™	RDB	alu	AE DB		UL	alu	130	alu/carb	•	U	blk/carb	•	9/10/11
SHAMAL™ ULTRA™ front cl.	605	alu	24/20,5		B/D		black	16	RDB	alu	AE DB		UL	alu	100	alu/carb	•	U	blk/carb	•	9/10/11
SHAMAL™ ULTRA™ rear cl.	820	alu	30/20,5		B/D		black	21/MG3™	RDB	alu	AE DB		UL	alu	130	alu/carb	•	U	blk/carb	•	9/10/11
SHAMAL™ ULTRA™ rear cl. (HG)	859	alu	30/20,5		B/D		black	21/MG3™	RDB	alu	AE DB		UL	alu	130	alu/carb	•	U	blk/carb	•	9/10/11
SHAMAL™ ULTRA™ front tub.	612	alu	24,5/20		B		black	16	RDB	alu	AE DB		UL	alu	100	alu/carb	•	U	blk/carb	•	9/10/11
SHAMAL™ ULTRA™ rear tub.	813	alu	28,5/20		B		black	21/MG3™	RDB	alu	AE DB		UL	alu	130	alu/carb	•	U	blk/carb	•	9/10/11
SHAMAL™ ULTRA™ rear tub. (HG)	852	alu	28,5/20		B		black	21/MG3™	RDB	alu	AE DB		UL	alu	130	alu/carb	•	U	blk/carb	•	9/10/11
SHAMAL™ ULTRA™ 2-Way Fit™ front	615	alu	24/20,5	•	B		black	16	RDB	alu	AE DB		UL	alu	100	alu/carb	•	U	blk/carb	•	9/10/11
SHAMAL™ ULTRA™ 2-Way Fit™ rear	825	alu	28/20,5	•	B		black	21/MG3™	RDB	alu	AE DB		UL	alu	130	alu/carb	•	U	blk/carb	•	9/10/11
SHAMAL™ ULTRA™ 2-Way Fit™ rear (HG)	864	alu	28/20,5	•	B		black	21/MG3™	RDB	alu	AE DB		UL	alu	130	alu/carb	•	U	blk/carb	•	9/10/11
EURUS™ front cl.	640	alu	24/20,5		B		black	16	RDB	alu	AE DB		UL	alu	100	alu	•	S	slv/blk	•	9/10/11
EURUS™ rear cl.	825	alu	30/20,5		B		black	21/G3™	RDB	alu	AE DB		UL	alu	130	alu	•	S	slv/blk	•	9/10/11
EURUS™ rear cl. (HG)	864	alu	30/20,5		B		black	21/G3™	RDB	alu	AE DB		UL	alu	130	alu	•	S	slv/blk	•	9/10/11
EURUS™ 2-Way Fit™ front	645	alu	24/20,5	•	B		black	16	RDB	alu	AE DB		UL	alu	100	alu	•	S	black	•	9/10/11
EURUS™ 2-Way Fit™ rear	840	alu	28/20,5	•	B		black	21/MG3™	RDB	alu	AE DB		UL	alu	130	alu	•	S	black	•	9/10/11
EURUS™ 2-Way Fit™ rear (HG)	879	alu	28/20,5	•	B		black	21/MG3™	RDB	alu	AE DB		UL	alu	130	alu	•	S	black	•	9/10/11
ZONDA™ front cl.	670	alu	24/20,5		B		black	16	RDB	SS	AE DB		UL	BR	100	alu	•	S	black	•	9/10/11
ZONDA™ rear cl.	880	alu	30/20,5		B		black	21/G3™	RDB	SS	AE DB		UL	BR	130	alu	•	S	black	•	9/10/11
ZONDA™ rear cl. (HG)	924	alu	30/20,5		B		black	21/G3™	RDB	SS	AE DB		UL	BR	130	alu	•	S	black	•	9/10/11
ZONDA™ 2-Way Fit™ front	680	alu	24/20,5	•	B		black	16	RDB	SS	AE DB		UL	BR	100	alu	•	S	black	•	9/10/11
ZONDA™ 2-Way Fit™ rear	890	alu	30/20,5	•	B		black	21/G3™	RDB	SS	AE DB		UL	BR	130	alu	•	S	black	•	9/10/11
ZONDA™ 2-Way Fit™ rear (HG)	939	alu	30/20,5	•	B		black	21/G3™	RDB	SS	AE DB		UL	BR	130	alu	•	S	black	•	9/10/11
SCIROCCO™ 35mm front cl.	788	alu	35/20		B		black	16	RDB	SS	AE DB			alu	100	alu		S	black	•	9/10/11
SCIROCCO™ 35mm rear cl.	937	alu	35/20		B		black	21/MG3™	RDB	SS	AE DB			alu	130	alu		S	black	•	9/10/11
SCIROCCO™ 35mm rear cl. (HG)	1004	alu	35/20		B		black	21/MG3™	RDB	SS	AE DB			alu	130	alu		S	black	•	9/10/11
VENTO™ ASYMMETRIC front cl.	750	alu	24/20,5		B	•	black	18		SS	AE DB			alu	100	alu		S	black		9/10/11
VENTO™ ASYMMETRIC G3™ rear cl.	910	alu	27,5/20,5		B	•	black	24/G3™		SS	AE DB			alu	130	alu		S	black		9/10/11
VENTO™ ASYMMETRIC G3™ rear cl. (HG)	949	alu	27,5/20,5		B	•	black	24/G3™		SS	AE DB			alu	130	alu		S	black		9/10/11
KHAMSIN™ ASYMMETRIC front cl.	815	alu	24/20,5		B	•	black	18		S				BR	100	alu		S	black		9/10/11
KHAMSIN™ ASYMMETRIC rear cl.	935	alu	27,5/20,5		B	•	black	20		S/SS				BR	130	alu		S	black		9/10/11
KHAMSIN™ ASYMMETRIC rear cl. (HG)	974	alu	27,5/20,5		B	•	black	20		S/SS				BR	130	alu		S	black		9/10/11
KHAMSIN™ ASYMMETRIC front cl.	815	alu	24/20,5		B	•	black	18		S				BR	100	alu		S	black		9/10/11
KHAMSIN™ ASYMMETRIC G3™ rear cl.	975	alu	27,5/20,5		B	•	black	24/G3™		S/SS				BR	130	alu		S	black		9/10/11
KHAMSIN™ ASYMMETRIC G3™ rear cl. (HG)	1014	alu	27,5/20,5		B	•	black	24/G3™		S/SS				BR	130	alu		S	black		9/10/11
NEUTRON™ ULTRA™ front cl.	630	alu	18/20,5		B	•	black	22		SS	AE DB	•	UL	alu	100	alu/carb	•	S	blk/carb		9/10/11
NEUTRON™ ULTRA™ rear cl.	840	alu	18/20,5		B	•	black	24		SS	AE DB	•	UL	alu	130	alu/carb	•	S	blk/carb		9/10/11
NEUTRON™ ULTRA™ rear cl. (HG)	879	alu	18/20,5		B	•	black	24		SS	AE DB	•	UL	alu	130	alu/carb	•	S	blk/carb		9/10/11

KEY

DB=Butted - AE=Aero - UAE=Ultra Aero - SS=Stainless steel - BR=Brass - S=steel - U=USB™ - C=CULT™ - SDB=Spoke Dynamic Balance - RDB=Rim Dynamic Balance
B=Bright - D=Dark

* Average weight - does not include the quick-release and the rim-tape.

WHEELS TECHNICAL SPECIFICATIONS

	NOMINAL WEIGHT (g)*	RIM MATERIAL	RIM SECTION: HEIGHT/WIDTH - mm (NOMINAL)	ULTRA-FIT™	LABELS	REQUIRES RIM TAPE	RIM FINISHING	NUMBER OF SPOKES	DYNAMIC BALANCE	SPOKES MATERIAL	SPOKE TYPE	DIFFERENTIAL SPOKES R/L	ULTRALINEAR™ /DRSC™ GEOMETRY	NUT/NIPPLE MATERIAL	O.L.D. (mm)	HUB BODY MATERIAL	CUPS & CONES BEARINGS	BEARINGS VERSION	HUB FINISHING	SPOKE ANTI-ROTATION SYSTEM	COMPATIBILITY
TRIATHLON - TIME TRIAL																					
BORA™ ULTRA™ TT rear road	975	carbon	D/20		B					carbon					130		•	C			9/10/11
CYCLOCROSS																					
KHAMSIN™ ASYMMETRIC CX front cl.	815	alu	24/20,5		B	•	black	18		S				BR	100	alu		S	black		
KHAMSIN™ ASYMMETRIC CX rear cl.	935	alu	27,5/20,5		B	•	black	20		S/SS				BR	130	alu		S	black		9/10/11
KHAMSIN™ ASYMMETRIC CX rear cl. (HG)	974	alu	27,5/20,5		B	•	black	20		S/SS				BR	130	alu		S	black		9/10/11
SCIROCCO™ 35mm CX front cl.	778	alu	24/20,5		B	•	black	20		SDB	SS	AE DB		alu	100	alu		S	black	•	
SCIROCCO™ 35mm CX rear cl.	937	alu	24/20,5		B	•	black	27/G3™		SDB	SS	AE DB		alu	130	alu		S	black	•	9/10/11
SCIROCCO™ 35mm CX rear cl. (HG)	1004	alu	24/20,5		B	•	black	27/G3™		SDB	SS	AE DB		alu	130	alu		S	black	•	9/10/11
PISTA																					
GHIBLI™ front track	955	alu	D/19							aramid					100	alu		•	S		
GHIBLI™ rear track	995	alu	D/19							aramid					120	alu		•	S		
PISTA™ front tub.	995	alu	38/20		B		black	20		SS	AE			alu	100	alu		•	S	black	
PISTA™ rear tub.	1040	alu	38/20		B		black	24		SS				alu	120	alu		•	S	black	

KEY

DB=Butted - AE=Aero - UAE=Ultra Aero - SS=Stainless steel - BR=Brass - S=steel - U=USB™ - C=CULT™ - SDB=Spoke Dynamic Balance - RDB=Rim Dynamic Balance
B=Bright - D=Dark

* Average weight - does not include the quick-release and the rim-tape.



The Service Center is the reference point for all Campagnolo® dealers and its aim is to provide an adequate after-sales service to Campagnolo® users. Service Centers are a territorial extension of Campagnolo srl and work exclusively with dealers, no exceptions made. The Service Centers handle two activities: After-sales Service and Spare Parts Service.

The After-sales Service provides technical assistance for products under guarantee or otherwise, enabling cyclists to enjoy the first-class characteristics of Campagnolo® products for long, without forfeiting safety, performance and endurance. The Spare Parts Service handles the distribution of spare parts. Campagnolo® possesses a large inventory of spare parts and is able to replenish its distribution system adequately in relatively short times.

We therefore advise you to refer to your Campagnolo® dealer for any expert action required by your bikes - these dealers are the only ones supported by the constant, skilled collaboration of Campagnolo® Service Centers.

TECHNICAL INFORMATION

ITALY (CENTRAL)

Tel. +39-0444-225600
Fax: +39-0444-225400

FRANCE

Tel. +33-477-554449
Fax: +33-477-556345

GERMANY

Tel. +49-214-206953-20
Fax: +49-214-206953-15

SPAIN

Tel. +34-945-217195
Fax: +34-945-217198

U.S.A.

Tel. +1-760-9310106
Fax: +1-760-9310991

JAPAN

Tel. +81-45-264-2780
Fax: +81-45-241-8030

SERVICE CENTERS

ITALY - CENTRAL SERVICE CENTER

CAMPAGNOLO SRL HEADQUARTERS
Via della Chimica, 4 - 36100 VICENZA
Tel. +39-0444-225600
Fax: +39-0444-225606
E-mail: service.campagnolo@campagnolo.com

AUSTRALIA

DE GRANDI CYCLE AND SPORTS
419 Moorabool Street 3220
GEELONG (VICTORIA)
Tel. +61 3 5221 5099
E-mail: shane@degrandi.com.au

BIKE SPORTZ IMPORTS

23C & 23D Industrial Drive
BRAESIDE 3195 (VICTORIA)
Tel. +61 3 95872344
E-mail: jnunan@bikesportz.com.au

AUSTRIA - GERMANY

CAMPAGNOLO DEUTSCHLAND GMBH
Alte Garten 62
51371 LEVERKUSEN
Tel. +49-214-206953-20
Fax: +49-214-206953-15

BENELUX

INTERNATIONAL CYCLE CONNECTION
B.V. - I.C.C.
Communicatielaan 5A
4538 BV TERNEUZEN NETHERLAND
Tel. +31 (0)115 649321
Fax: +31 (0)115 649110
E-mail: info@i-c-c.nl
Web: www.i-c-c.nl

BRAZIL

DIPSA-Distribuidora de Pecas e Acessorios Ltda.
Rua Barao do Rego Barros 510
CEP. 04512-041
São Paulo - SP - Brazil
Tel. (11) 5093-4364
E-mail: dipsa@dipsa.com.br

CANADA

CYCLES MARINONI INC
1067, Levis - LACHENAIE
QUEBEC J6W 4L2
Tel. +1-450-4717133
Fax: +1-450-4719887

CANADA

GREAT WESTERN BICYCLE
232 West 7th Ave
VANCOUVER, BC
V5Y 1M1
Tel. 1 604 872 2446
Fax: 1 604 872 0226

CHINA - HONG KONG

IRON ORE CO LTD
3/F, WING WAH INDUSTR.BUILDING
137-143 YEUNG UK ROAD
TSUEN WAN, NEW TERRITORIES
HONG KONG
Tel. +852 3576/3839
E-mail: ccheng@ironorechina.com

CHEUNG KEE CYCLE CO

Number 1b, Fuk Yip Building No. 12
Kik Yeung Road Yuen Long
N.T. HONG KONG
Tel. +85 224746794
E-mail: sales@ckcycle.com

CHILE

RAFAEL BURGOS S.A.
Arturo Prat, 1032
SANTIAGO
Tel. +56 2/5200600
Fax +56 2/6342390

CYPRUS

RACING CYCLES LTD
Prodromou 51
2063, Strovolos
Nicosia, Cyprus
tel: +357 22270766
fax: +357 22270437
email: cyprus@racingcycles.eu

CZECH REPUBLIC

SIRER s.r.o.
Vit. Halka 368
26601 BEROUN
Tel. 00420775590956
Fax: 00420608241691
E-mail: campagnolo@sirer.cz
Web: www.campagnolo-sirer.cz

DENMARK

PEAK BIKE APS
Svejsengang 3-1 TH
2690 Karlslunde
DENMARK
Tel. +45-4492 2800
E-mail: info@peakbike@dk

FINLAND

VELOSPORT KY
Mäkelänkatu 95
00610 HELSINKI, FINLAND
FI Finlandia
Tel. +358 9795468
Fax +358 9795498

FRANCE

CAMPAGNOLO FRANCE SAS
ZA du Tissot
42530 ST GENEST - LERPT
Tel. +33-477-556305
Fax: +33-477-556345

GREECE

CYCLES FIDUSA - GIORGIO VOYATZIS & CO.
Th. Sofuli 97
85100 RHODOS
Tel. +30-2241 021264
Fax: +30-2241 021519

ACTIVE ZONE NETWORK S.A.

Varis-Koropiu & Makedonias, 2
16672 VARI. ATHENS
Tel. +30-210/9612929
E-mail: info@cyclist.gr

RACING CYCLES GREECE LTD

Olympic Tennis Center
Amarysias Artemidos & Pittara
15123, Marousi
Attiki
Tel. +30 210 3312610
Email: sales@racingcycles.eu

ISRAEL

AMIT LEVINSON LTD
25 Sheshet Hayamim Str. - QIRYAT HAIM
POB 252 ZIP 26101
Tel. +972-4-8405649
Fax: +972-4-8423913

JAPAN

CAMPAGNOLO JAPAN LTD
65 Yoshida-cho, Naka-ku,
YOKOHAMA 231-0041 JAPAN
Tel. +81-45-264-2780
Fax: +81-45-241-8030

NEW ZEALAND

WH WORRALL CO. LTD.
43 Felix St./Penrose - P.O. Box 12481
AUCKLAND
Tel. +64-9-6360641
Fax: +64-9-6360631

POLAND

P.H.U. WERTYKAL S.C.
UL. RODZINY POGANOW 76
32-080 ZABIERZOW
Tel. +48/12/346 16 69
+ 48/604/07 70 94
E-mail: serwis@wertykal.com
Web: www.wertykal.com

SINGAPORE - MALAYSIA - INDONESIA

TRIMEN VENTURES PTE LTD
31 BUKIT BATOK CRESCENT #01-13
WCEGA PLAZA 658070
SINGAPORE
Tel. +65-67476448
Fax: +65-67476447

KIAN HONG CYCLE PTE LTD

13 KAKI BUKIT ROAD 1
#02-08 EUNOS TECHNOLINK
SINGAPORE 415928
Tel. +65 67495787
E-mail: smiek@khcycle.com.sg

SPAIN

CAMPAGNOLO IBERICA S.L.
Avda. de Los Huetos 46 Pab. 31
01010 VITORIA
Tel. +34-945-217195
Fax: +34-945-217198

SLOVAC REPUBLIC

ZANZO S.R.O.
Kysucky Lieskovec 421
02334 BRATISLAVA
Tel. 00421 245 523721
Fax: 00421 245 249404

SLOVENIA

MAXISPORT D.O.O.
Smartinska cesta 211
1000 LJUBLJANA
Tel. +386 1 541 10 60
Fax: +386 1 541 67 61
E-mail: service@maxisport.si
Web: www.maxisport.si

SOUTH AFRICA

CYCLING J&J (PTY) LTD.
169 Meerlust Street -
Willow Glen PRETORIA
Tel. +27-012-8075570
Fax: +27-012-8074267

SOUTH KOREA

DAEJIN INTERNATIONAL
977-6, DAEJAM-DONG
NAM-GU POHANG
KYOUNGSANGBUK-DO
Tel. +82 54/275.2216
E-mail: info.bianchi@yahoo.co.kr

DONGJIN IMPORTS CO LTD

560-5 Banghak-Dong Dobong-Gu SEOUL
Tel. +82 2/4997053
E-mail: kenney.dongjin@gmail.com

SWITZERLAND

SWISSBIKE PIERO ZURINO GMBH
Pilatusstr. 4 - 6036 DIERIKON
Tel. +41-41-7485550
Fax: +41-41-7485551

U.G.D. SPORT DIFFUSION S.A.

La Taille - 2053 CERNIER
Tel. +41-32-8536363
Fax: +41-32-8536464
info@ugd.ch

TAIWAN, MAINLAND CHINA

COLMAX INTERNATIONAL LTD
TAIWAN BRANCH (H.K.)
No.70, TAIYI RD., RENDE DIST.
TAINAN CITY
TAIWAN
Tel. +886-6-265 6001
Fax: +886-6-265 1388
E-mail: charis@colmax.com.tw
Web: www.colmax.com.tw

THAILAND

UWC Ltd. (TCA) - Service center Bangkok
777/5, Mue 5, TIP 6, T.Bangpla
A.Bangplee, Samutprakarn 10540
Thailand
Tel : +66 217 07904
Fax : +66 217 07905
www.tcabicycle.com

UWC/TCA Service Center - Chiang Mai

44/1 Devarit Rd., T.Changpurk
A.Muang, Chiang Mai 50300
Tel : +66 53 406 292
Fax : +66 53 406 295

UWC/TCA Service Center - Hat Yai

1899/23 Panpruksa, Sanambin-Lopburiramet
Rd., T. Kuanlang
A. Hat Yai, Songkla 90110
Tel : +66 74 536 456
Fax : +66 74 800 463

UNITED KINGDOM

CHICKEN CYCLEKIT
Unit b2, Cherrycourt Way
LU7 4UH BEDFORDSHIRE
Tel. +44 1525 381347
Fax: +44 1525 385361
E-mail: sales@chickencyclekit.co.uk

UNITED KINGDOM

CYCLESPORT NORTH LTD
Unit 363 LEACH PLACE
WALTON SUMMIT CENTRE
BAMBER BRIDGE - PRESTON
LANCASHIRE
Tel. +44 (0) 1772 339220
Fax: +44 (0) 1772 339290
E-mail: sales@cyclesportnorth.co.uk
Web: www.csnb2b.co.uk

VELOTECH CYCLING LTD

37 Dingleberry Olney Bucks
MK46 5ES BUCKINGHAMSHIRE
Tel. +44 7533 129435
velotechcycling@aim.com

I-RIDE

7-8B Mid Sussex Business Park
Ditchling Common Ind. Est.
Folder Lane East
Ditchling, Sussex
BN6 8SE
Tel. +44 (0) 1444 243000
Fax: +44 (0) 1444 239215
E-mail: service@i-ride.co.uk
info@i-ride.co.uk

UNITED STATES

CAMPAGNOLO NORTH AMERICA INC.
5431 Avenida Encinas, Suite C
CARLSBAD CA 92008
Tel. +1-760-9310106
Fax: +1-760-9310991

OCHSNER INTERNATIONAL INC

246 E. Marquardt Drive - WHEELING
IL. 60090-6430
Tel. +1-847-4658200
Fax: +1-847-4658282

QUALITY BICYCLE PRODUCTS

6400 W. 105th Street
BLOOMINGTON, MN 55438-2554
Tel. +1-952-9419391
Fax: +1-952-9419799

THE HAWLEY COMPANY, INC.

1181 South Lake Drive
LEXINGTON, SC 29073-7744
Tel. +1-803.359.3492 x 192
Fax: +1-803.359.1343

Campagnolo

PURE PERFORMANCE

CAMPAGNOLO S.R.L.

Via della Chimica, 4
36100 Vicenza - ITALY
Phone: +39 0444 225500
Fax: +39 0444 225400

www.campagnolo.com

Campagnolo®, Campy™, Super Record™, Record™, Chorus™, Athena™, EPS™, CT™, Centaur™, Veloce™, Mirage™, Xenon™, ESP™, ESP™ ACTUATION SYSTEM™, Ultra-Shift™, Vari-Cushion™, No-Bulge™, OS-Fit™, Ultra-Link™, CULT™, USB™, XPS™, MPS™, Power Torque System™, Power-Shift™, Embrace Technology™, S2 System™, CSD™, BE 11™, Revolution 11™, Campy Tech Lab™, 2-Way Fit™, Ultra-Fit™ Tubeless, 3Diamant™, Hyperon™, Neutron™, Proton™, Eurus™, Zonda™, Scirocco™, Vento™, Vento Asymmetric™, Bora™, Ghibli™, Pista™, Khamsin™, Khamsin Asymmetric™, Shamal™, Bullet™, Time Trial™, Ergobrain™, Symmetric Action™, Z-shape™, M-brace™, Even-O™, Superlative™, Floating-Link-Action™, HD-Link™, HD-L™, Exa-Drive™, Ultra-Drive™, Pro-Fit™, Pro-Fit PLUS™, Differential brakes™, Threadless™, Hiddenset™, Hiddenset TTC™, TTC™, Ergopower™, BB System™, C10™, C9™, ED™, UD™, Ultra Narrow™, Over-Torque™, UT™, Ultra-Torque™, Over-Torque™ Technology, Ultra-Hollow™, Skeleton™, Quick Shift™, QS™, Escape™, Infinite™, Champ Triple™, Race Triple™, Comp Triple™, HPW™, Mega-G3™, G3™, Grouped Spokes™, DPRO™, Dual Profile™, Ultralinear-Geometry™, Ultralinear™, Differential rims™, Differential spokes™, Ultra™, Ultra Aero™, DRSC™, RDB™, Spokes Anti-Rotation System™, Spoke Dynamic Balance™, Comp Ultra™, Comp One™, 3Diamant™, Dynamic Balance™, Full Carbon™, Multidirectional™, Unidirectional™, AC-H™, AC-S™, SC-S™, Big™, Miro™, Pro-Shop™, Tecnologia ed Emozione™ are Campagnolo Srl Trademarks.

Cronitect® is a registered Trademark of Schaeffler Group

QR Code® is registered trademarks of DENSO WAVE INCORPORATED.

Copyright(C) 2000-2010

DENSO WAVE INCORPORATED

All right reserved

Credits:

Graphic concept

CONDENSED srl - www.condensed.it

Credits:

Racing photos: ©Tim De Waele / www.tdwspport.com

Product photos: Studio Nova

Campagnolo

**WINS
VINCE
GAGNE
GEWINNT**



2013 GIRO D'ITALIA
Vincenzo Nibali



2013 WORLD CHAMPION
Rui Costa



2014 GIRO D'ITALIA
Nairo Quintana



2014 TOUR DE FRANCE
Vincenzo Nibali