

GROUPSETS

SUPER RECORD™
12x2 SPEED™

DISC BRAKE

COMPONENT	OPTIONS	WEIGHT [g]	WEIGHT REFERENCE
SUPER RECORD™ rear derailleur	-	181	standard hanger version
SUPER RECORD™ Ergopower™ controls	-	462	Pair
SUPER RECORD™ front derailleur	-	79	-
SUPER RECORD™ crankset	165 mm 170 mm 172,5 mm 175 mm 39-53 36-52 34-50	618	172,5 mm, 34-50 (2 bearings assembled)
SUPER RECORD™ ULTRA-TORQUE™ threaded cups	ITA: 70x (36x24 tpi) BSA: 68x (1,37"x24 tpi)	43	BSA
ULTRA-TORQUE™ press-fit cups	BB30: (68x42) mm BB86: (86,5x41) mm PF30: (68x46) mm BB386: (86,5x46) mm BB RIGHT: (79x46) mm BB30A: (73x42) mm	40	BB86
SUPER RECORD™ sprockets	11-29 11-32	266	11-29
SUPER RECORD™ chain	-	220	110 links
CAMPAGNOLO® caliper	160 mm Front 160 mm Rear 140 mm	115	140 mm (1 piece - pads included)
CAMPAGNOLO® 03 rotor	160 mm 140 mm	99	140 mm (1 piece)
COMPLETE GROUPSET		2.323	2 calipers 2 rotors

EXTRA COMPONENTS	OPTIONS	CATEGORY
Rear Caliper Bolts	for 10-14 mm rear mount for 15-19 mm rear mount for 20-24 mm rear mount for 25-29 mm rear mount for 30-34 mm rear mount for 35-39 mm rear mount	Disc Brake (MANDATORY)
Oil	100 ml 250 ml 1.000 ml	Disc Brake
Bleeding Kit	-	Disc Brake
140 mm to 160 mm Rear Caliper adapter	-	Disc Brake
Chain Guard	for braze-on for ø 32/35 clamp	Accessory
Front Derailleur Clamp	ø 32 mm ø 35 mm	Accessory
Front Derailleur barrel adjuster	-	Accessory
RECORD™ Headset	-	General
RECORD™ front hub	-	General
RECORD™ rear hub	-	General
SUPER RECORD™ Bottle cage	-	General
SUPER RECORD™ Bottle	550 ml 750 ml thermal	General

TECH DATA

SUPER RECORD™
12x2 SPEED™

RIM BRAKE

COMPONENT	OPTIONS	WEIGHT [g]	WEIGHT REFERENCE
SUPER RECORD™ rear derailleur	-	181	standard hanger version
SUPER RECORD™ Ergopower™ controls	-	339	Pair
SUPER RECORD™ front derailleur	-	79	-
SUPER RECORD™ crankset	165 mm 170 mm 172,5 mm 175 mm 39-53 36-52 34-50	618	172,5 mm, 34-50 (2 bearings assembled)
SUPER RECORD™ ULTRA-TORQUE™ threaded cups	ITA: 70x (36x24 tpi) BSA: 68x (1,37"x24 tpi)	43	BSA
ULTRA-TORQUE™ press-fit cups	BB30: (68x42) mm BB86: (86,5x41) mm PF30: (68x46) mm BB386: (86,5x46) mm BB RIGHT: (79x46) mm BB30A: (73x42) mm	40	BB86
SUPER RECORD™ sprockets	11-29 11-32	266	11-29
SUPER RECORD™ chain	-	220	110 links
SUPER RECORD™ brakes	-	311	Pair
CAMPAGNOLO® direct mount brake	Front Rear Seat Stay	168	1 piece
COMPLETE GROUPSET		2.054	

EXTRA COMPONENTS	OPTIONS	CATEGORY
RECORD™ direct mount brake	Rear Under BB	Brakes
Chain Guard	for braze-on for ø 32/35 clamp	Accessory
Front Derailleur Clamp	ø 32 mm ø 35 mm	Accessory
Front Derailleur barrel adjuster	-	Accessory
RECORD™ Headset	-	General
RECORD™ front hub	-	General
RECORD™ rear hub	-	General
SUPER RECORD™ Bottle cage	-	General
SUPER RECORD™ Bottle	550 ml 750 ml thermal	General

GROUPSETS



DISC BRAKE

COMPONENT	OPTIONS	WEIGHT [g]	WEIGHT REFERENCE
SUPER RECORD™ EPST™ rear derailleur	-	198	cables included
H11™ EPST™ Ergopower™ controls	-	396	Pair (cables included)
SUPER RECORD™ EPST™ front derailleur	-	127	cables included
DTI™ EPST™ V3 Power Unit	-	106	cables included
DTI™ EPST™ V3 Interface	-	35	cables included
H11™ crankset	170 mm, 172,5 mm, 175 mm 39-53, 36-52, 34-50	628	170 mm, 34-50 (2 bearings assembled)
SUPER RECORD™ ULTRA-TORQUE™ threaded cups	ITA: 70x (36x24 tpi) BSA: 68x (1,37"x24 tpi)	43	BSA
ULTRA-TORQUE™ press-fit cups	BB30: (68x42) mm, BB86: (86,5x41) mm, PF30: (68x46) mm, BB386: (86,5x46) mm, BB RIGHT: (79x46) mm, BB30A: (73x42) mm	40	BB86
SUPER RECORD™ sprockets	11-23, 11-25, 11-27, 12-25, 12-27, 12-29	188	11-25
RECORD™ chain	-	238	114 links
CAMPAGNOLO® caliper	160 mm Front 160 mm Rear 140 mm Rear	115	140 mm Rear (1 piece - pads included)
CAMPAGNOLO® rotor	160 mm 140 mm	99	140 mm (1 piece)
COMPLETE GROUPSET		2.413	2 calipers 2 rotors

EXTRA COMPONENTS	OPTIONS	CATEGORY
EPST™ V3 Power Unit Holder	for bottle cage for ø 27 mm seatpost for ø 32 mm seatpost	EPST™ V3
EPST™ Battery Charger	-	EPST™
EPST™ Power Cable	AUS CEE UK US	EPST™
RECORD™ EPST™ extension cable kit	-	EPST™ SUPER RECORD™/RECORD™
Rear Caliper Bolts	for 10-14 mm rear mount for 15-19 mm rear mount for 20-24 mm rear mount for 25-29 mm rear mount for 30-34 mm rear mount for 35-39 mm rear mount	Disc Brake (MANDATORY)
Oil	100 ml, 250 ml, 1.000 ml	Disc Brake
Bleeding Kit	-	Disc Brake
140 mm to 160 mm Rear Caliper adapter	-	Disc Brake
Chain Guard	for braze-on for ø 32/35 clamp	Accessory
Front Derailleur Clamp	ø 32 mm ø 35 mm	Accessory
Front Derailleur Stiffness Increaser	-	Accessory
RECORD™ Headset	-	General
RECORD™ front hub	-	General
RECORD™ rear hub	-	General
SUPER RECORD™ Bottle cage	-	General
SUPER RECORD™ Bottle	550 ml 750 ml thermal	General

TECH DATA



RIM BRAKE

COMPONENT	OPTIONS	WEIGHT [g]	WEIGHT REFERENCE
SUPER RECORD™ EPST™ rear derailleur	-	198	cables included
SUPER RECORD™ EPST™ Ergopower™ controls	-	262	Pair (cables included)
SUPER RECORD™ EPST™ front derailleur	-	127	cables included
DTI™ EPST™ V3 Power Unit	-	106	cables included
DTI™ EPST™ V3 Interface	-	35	cables included
SUPER RECORD™ crankset	170 mm 172,5 mm 175 mm 34-50	603	170 mm, 34-50 (2 bearings assembled)
SUPER RECORD™ ULTRA-TORQUE™ threaded cups	ITA: 70x (36x24 tpi) BSA: 68x (1,37"x24 tpi)	43	BSA
ULTRA-TORQUE™ press-fit cups	BB30: (68x42) mm BB86: (86,5x41) mm PF30: (68x46) mm BB386: (86,5x46) mm BB RIGHT: (79x46) mm BB30A: (73x42) mm	40	BB86
SUPER RECORD™ sprockets	11-23 11-25 11-27 12-25 12-27 12-29	188	11-25
RECORD™ chain	-	238	114 links
SUPER RECORD™ brakes	-	311	Pair
CAMPAGNOLO® direct mount brake	Front Rear Seat Stay	168	1 piece
COMPLETE GROUPSET		2.108	-

EXTRA COMPONENTS	OPTIONS	CATEGORY
EPST™ V3 Power Unit Holder	for bottle cage for ø 27 mm seatpost for ø 32 mm seatpost	EPST™ V3
EPST™ Battery Charger	-	EPST™
EPST™ Power Cable	AUS CEE UK US	EPST™
RECORD™ EPST™ extension cable kit	-	EPST™ SUPER RECORD™/RECORD™
RECORD™ direct mount brake	Rear Under BB	Brakes
Chain Guard	for braze-on for ø 32/35 clamp	Accessory
Front Derailleur Clamp	ø 32 mm ø 35 mm	Accessory
Front Derailleur Stiffness Increaser	-	Accessory
RECORD™ Headset	-	General
RECORD™ front hub	-	General
RECORD™ rear hub	-	General
SUPER RECORD™ Bottle cage	-	General
SUPER RECORD™ Bottle	550 ml 750 ml thermal	General

GROUPSETS

RECORD™
12x2 SPEED™

DISC BRAKE

COMPONENT	OPTIONS	WEIGHT [g]	WEIGHT REFERENCE
RECORD™ rear derailleur	-	216	standard hanger version
RECORD™ Ergopower™ controls	-	463	-
RECORD™ front derailleur	-	81	-
RECORD™ crankset	165 mm 170 mm 172,5 mm 175 mm 39-53 36-52 34-50	708	170 mm, 34-50 (2 bearings assembled)
RECORD™ ULTRA-TORQUE™ threaded cups	ITA: 70x (36x24 tpi) BSA: 68x (1,37"x24 tpi)	45	BSA
ULTRA-TORQUE™ press-fit cups	BB30: (68x42) mm BB86: (86,5x41) mm PF30: (68x46) mm BB386: (86,5x46) mm BB RIGHT: (79x46) mm BB30A: (73x42) mm	40	BB86
SUPER RECORD™ sprockets	11-29 11-32	266	11-29
SUPER RECORD™ chain	-	220	110 links
CAMPAGNOLO® caliper	160 mm Front 160 mm Rear 140 mm	115	140 mm (1 piece - pads included)
CAMPAGNOLO® 03 rotor	160 mm 140 mm	99	140 mm (1 piece)
COMPLETE GROUPSET		2.451	2 calipers 2 rotors

EXTRA COMPONENTS	OPTIONS	CATEGORY
Rear Caliper Bolts	for 10-14 mm rear mount for 15-19 mm rear mount for 20-24 mm rear mount for 25-29 mm rear mount for 30-34 mm rear mount for 35-39 mm rear mount	Disc Brake (MANDATORY)
Oil	100 ml 250 ml 1.000 ml	Disc Brake
Bleeding Kit	-	Disc Brake
140 mm to 160 mm Rear Caliper adapter	-	Disc Brake
Chain Guard	for braze-on for ø 32/35 clamp	Accessory
Front Derailleur Clamp	ø 32 mm ø 35 mm	Accessory
Front Derailleur barrel adjuster	-	Accessory
RECORD™ Headset	-	General
RECORD™ front hub	-	General
RECORD™ rear hub	-	General
SUPER RECORD™ Bottle cage	-	General
SUPER RECORD™ Bottle	550 ml 750 ml thermal	General

TECH DATA

RECORD™
12x2 SPEED™

RIM BRAKE

COMPONENT	OPTIONS	WEIGHT [g]	WEIGHT REFERENCE
RECORD™ rear derailleur	-	216	standard hanger version
RECORD™ Ergopower™ controls	-	343	-
RECORD™ front derailleur	-	81	-
RECORD™ crankset	165 mm 170 mm 172,5 mm 175 mm 39-53 36-52 34-50	708	170 mm, 34-50 (2 bearings assembled)
RECORD™ ULTRA-TORQUE™ threaded cups	ITA: 70x (36x24 tpi) BSA: 68x (1,37"x24 tpi)	45	BSA
ULTRA-TORQUE™ press-fit cups	BB30: (68x42) mm BB86: (86,5x41) mm PF30: (68x46) mm BB386: (86,5x46) mm BB RIGHT: (79x46) mm BB30A: (73x42) mm	40	BB86
SUPER RECORD™ sprockets	11-29 11-32	266	11-29
SUPER RECORD™ chain	-	220	110 links
RECORD™ brakes	-	326	Pair
CAMPAGNOLO® direct mount brake	Front Rear Seat Stay	168	1 piece
COMPLETE GROUPSET		2.200	

EXTRA COMPONENTS	OPTIONS	CATEGORY
RECORD™ direct mount brake	Rear Under BB	Brakes
Chain Guard	for braze-on for ø 32/35 clamp	Accessory
Front Derailleur Clamp	ø 32 mm ø 35 mm	Accessory
Front Derailleur barrel adjuster	-	Accessory
RECORD™ Headset	-	General
RECORD™ front hub	-	General
RECORD™ rear hub	-	General
SUPER RECORD™ Bottle cage	-	General
SUPER RECORD™ Bottle	550 ml 750 ml thermal	General

GROUPSETS



DISC BRAKE

COMPONENT	OPTIONS	WEIGHT [g]	WEIGHT REFERENCE
RECORD™ EPS™ rear derailleur	-	203	cables included
H11™ EPS™ Ergopower™ controls	-	396	Pair (cables included)
RECORD™ EPS™ front derailleur	-	133	cables included
DTI™ EPS™ V3 Power Unit	-	106	cables included
DTI™ EPS™ V3 Interface	-	35	cables included
H11™ crankset	170 mm, 172,5 mm, 175 mm 39-53, 36-52, 34-50	628	170 mm, 34-50 (2 bearings assembled)
RECORD™ ULTRA-TORQUE™ threaded cups	ITA: 70x (36x24 tpi) BSA: 68x (1,37"x24 tpi)	45	BSA
ULTRA-TORQUE™ press-fit cups	BB30: (68x42) mm BB86: (86,5x41) mm PF30: (68x46) mm BB386: (86,5x46) mm BB RIGHT: (79x46) mm BB30A: (73x42) mm	40	BB86
RECORD™ sprockets	11-23, 11-25, 11-27, 12-25, 12-27, 12-29	211	11-25
RECORD™ chain	-	238	114 links
CAMPAGNOLO® caliper	160 mm Front, 160 mm Rear, 140 mm Rear	115	140 mm Rear (1 piece - pads included)
CAMPAGNOLO® rotor	160 mm 140 mm	99	140 mm (1 piece)
COMPLETE GROUPSET		2.447	2 calipers 2 rotors

EXTRA COMPONENTS	OPTIONS	CATEGORY
EPS™ V3 Power Unit Holder	for bottle cage for ø 27 mm seatpost for ø 32 mm seatpost	EPS™ V3
EPS™ Battery Charger	-	EPST™
EPS™ Power Cable	AUS CEE UK US	EPST™
RECORD™ EPS™ extension cable kit	-	EPST™ SUPER RECORD™/RECORD™
Rear Caliper Bolts	for 10-14 mm rear mount for 15-19 mm rear mount for 20-24 mm rear mount for 25-29 mm rear mount for 30-34 mm rear mount for 35-39 mm rear mount	Disc Brake (MANDATORY)
Oil	100 ml, 250 ml, 1.000 ml	Disc Brake
Bleeding Kit	-	Disc Brake
140 mm to 160 mm Rear Caliper adapter	-	Disc Brake
Chain Guard	for braze-on for ø 32/35 clamp	Accessory
Front Derailleur Clamp	ø 32 mm, ø 35 mm	Accessory
Front Derailleur Stiffness Increaser	-	Accessory
RECORD™ Headset	-	General
RECORD™ front hub	-	General
RECORD™ rear hub	-	General
SUPER RECORD™ Bottle cage	-	General
SUPER RECORD™ Bottle	550 ml, 750 ml, thermal	General

TECH DATA



RIM BRAKE

COMPONENT	OPTIONS	WEIGHT [g]	WEIGHT REFERENCE
RECORD™ EPS™ rear derailleur	-	203	cables included
RECORD™ EPS™ Ergopower™ controls	-	266	Pair (cables included)
RECORD™ EPS™ front derailleur	-	133	cables included
DTI™ EPS™ V3 Power Unit	-	106	cables included
DTI™ EPS™ V3 Interface	-	35	cables included
RECORD™ crankset	170 mm 172,5 mm 175 mm 34-50	651	170 mm, 34-50 (2 bearings assembled)
RECORD™ ULTRA-TORQUE™ threaded cups	ITA: 70x (36x24 tpi) BSA: 68x (1,37"x24 tpi)	45	BSA
ULTRA-TORQUE™ press-fit cups	BB30: (68x42) mm BB86: (86,5x41) mm PF30: (68x46) mm BB386: (86,5x46) mm BB RIGHT: (79x46) mm BB30A: (73x42) mm	40	BB86
RECORD™ sprockets	11-23 11-25 11-27 12-25 12-27 12-29	211	11-25
RECORD™ chain	-	238	114 links
RECORD™ brakes	-	326	Pair
CAMPAGNOLO® direct mount brake	Front Rear Seat Stay	168	1 piece
COMPLETE GROUPSET		2.209	-

EXTRA COMPONENTS	OPTIONS	CATEGORY
EPS™ V3 Power Unit Holder	for bottle cage for ø 27 mm seatpost for ø 32 mm seatpost	EPS™ V3
EPS™ Battery Charger	-	EPST™
EPS™ Power Cable	AUS CEE UK US	EPST™
RECORD™ EPS™ extension cable kit	-	EPST™ SUPER RECORD™/RECORD™
RECORD™ direct mount brake	Rear Under BB	Brakes
Chain Guard	for braze-on for ø 32/35 clamp	Accessory
Front Derailleur Clamp	ø 32 mm ø 35 mm	Accessory
Front Derailleur Stiffness Increaser	-	Accessory
RECORD™ Headset	-	General
RECORD™ front hub	-	General
RECORD™ rear hub	-	General
SUPER RECORD™ Bottle cage	-	General
SUPER RECORD™ Bottle	550 ml 750 ml thermal	General

GROUPSETS



DISC BRAKE

COMPONENT	OPTIONS	WEIGHT [g]	WEIGHT REFERENCE
CHORUS™ rear derailleur	short cage medium cage	183	short cage
H11™ Ergopower™ controls	-	462	Pair
CHORUS™ front derailleur	without S2 System with S2 System	76	without S2 System
H11™ crankset	170 mm, 172,5 mm, 175 mm 39-53, 36-52, 34-50	628	170 mm, 34-50 (2 bearings assembled)
RECORD™ ULTRA-TORQUE™ threaded cups	ITA: 70x (36x24 tpi) BSA: 68x (1,37"x24 tpi)	45	BSA
ULTRA-TORQUE™ press-fit cups	BB30: (68x42) mm BB86: (86,5x41) mm PF30: (68x46) mm BB386: (86,5x46) mm BB RIGHT: (79x46) mm BB30A: (73x42) mm	40	BB86
CHORUS™ sprockets	11-23 11-25 11-27 11-29 12-25 12-27 12-29	247	11-25
CAMPAGNOLO 11™ sprockets	11-32	335	-
CHORUS™ chain	-	259	114 links
CAMPAGNOLO® caliper	160 mm Front 160 mm Rear 140 mm Rear	115	140 mm Rear (1 piece - pads included)
CAMPAGNOLO® rotor	160 mm 140 mm	99	140 mm (1 piece)
COMPLETE GROUPSET		2.352	2 calipers 2 rotors

EXTRA COMPONENTS	OPTIONS	CATEGORY
Rear Caliper Bolts	for 10-14 mm rear mount for 15-19 mm rear mount for 20-24 mm rear mount for 25-29 mm rear mount for 30-34 mm rear mount for 35-39 mm rear mount	Disc Brake (MANDATORY)
Oil	100 ml, 250 ml, 1.000 ml	Disc Brake
Bleeding Kit	-	Disc Brake
140 mm to 160 mm Rear Caliper adapter	-	Disc Brake
Chain Guard	for braze-on for ø 32/35 clamp	Accessory
Front Derailleur Clamp	ø 32 mm ø 35 mm	Accessory
Front Derailleur cable deviator insert	-	Accessory
Front Derailleur barrel adjuster	-	Accessory
RECORD™ Headset	-	General
RECORD™ front hub	-	General
RECORD™ rear hub	-	General
SUPER RECORD™ Bottle cage	-	General
SUPER RECORD™ Bottle	550 ml 750 ml thermal	General

TECH DATA



RIM BRAKE

COMPONENT	OPTIONS	WEIGHT [g]	WEIGHT REFERENCE
CHORUS™ rear derailleur	short cage medium cage	183	short cage
CHORUS™ Ergopower™ controls	-	350	Pair
CHORUS™ front derailleur	without S2 System with S2 System	76	without S2 System
CHORUS™ crankset	170 mm 172,5 mm 175 mm 39-53 36-52 34-50	686	170 mm, 34-50 (2 bearings assembled)
RECORD™ ULTRA-TORQUE™ threaded cups	ITA: 70x (36x24 tpi) BSA: 68x (1,37"x24 tpi)	45	BSA
ULTRA-TORQUE™ press-fit cups	BB30: (68x42) mm BB86: (86,5x41) mm PF30: (68x46) mm BB386: (86,5x46) mm BB RIGHT: (79x46) mm BB30A: (73x42) mm	40	BB86
CHORUS™ sprockets	11-23 11-25 11-27 11-29 12-25 12-27 12-29	247	11-25
CAMPAGNOLO 11™ sprockets	11-32	335	-
CHORUS™ chain	-	259	114 links
CHORUS™ brakes	-	302	Pair
DIRECT™ direct mount brake	Front Rear Seat Stay	183	1 piece
COMPLETE GROUPSET		2.143	

EXTRA COMPONENTS	OPTIONS	CATEGORY
Chain Guard	for braze-on for ø 32/35 clamp	Accessory
Front Derailleur Clamp	ø 32 mm ø 35 mm	Accessory
Front Derailleur cable deviator insert	-	Accessory
Front Derailleur barrel adjuster	-	Accessory
RECORD™ Headset	-	General
RECORD™ front hub	-	General
RECORD™ rear hub	-	General
SUPER RECORD™ Bottle cage	-	General
SUPER RECORD™ Bottle	550 ml 750 ml thermal	General

GROUPSETS



DISC BRAKE

COMPONENT	OPTIONS	WEIGHT [g]	WEIGHT REFERENCE
POTENZA 11™ rear derailleur	short cage medium cage	206	short cage
POTENZA 11™ DB Ergopower™ controls	-	504	Pair
POTENZA 11™ front derailleur	-	94	-
POTENZA 11™ crankset	170 mm 172,5 mm 175 mm 39-53 36-52 34-50	801	170 mm, 34-50 (2 bearings assembled)
RECORD™ ULTRA-TORQUE™ threaded cups	ITA: 70x (36x24 tpi) BSA: 68x (1,37"x24 tpi)	45	BSA
ULTRA-TORQUE™ press-fit cups	BB30: (68x42) mm BB86: (86,5x41) mm PF30: (68x46) mm BB386: (86,5x46) mm BB RIGHT: (79x46) mm BB30A: (73x42) mm	40	BB86
CAMPAGNOLO 11™ sprockets	11-25 11-27 11-29 11-32 12-27	251	11-25
CAMPAGNOLO 11™ chain	-	256	114 links
CAMPAGNOLO® caliper	160 mm Front 160 mm Rear 140 mm Rear	115	140 mm Rear (1 piece - pads included)
CAMPAGNOLO® rotor	160 mm 140 mm	99	140 mm (1 piece)
COMPLETE GROUPSET		2.609	2 calipers 2 rotors

EXTRA COMPONENTS	OPTIONS	CATEGORY
Rear Caliper Bolts	for 10-14 mm rear mount for 15-19 mm rear mount for 20-24 mm rear mount for 25-29 mm rear mount for 30-34 mm rear mount for 35-39 mm rear mount	Disc Brake (MANDATORY)
Oil	100 ml 250 ml 1.000 ml	Disc Brake
Bleeding Kit	-	Disc Brake
140 mm to 160 mm Rear Caliper adapter	-	Disc Brake
Chain Guard	for braze-on for ø 32/35 clamp	Accessory
Front Derailleur Clamp	ø 32 mm ø 35 mm	Accessory
Front Derailleur cable deviator insert	-	Accessory
Front Derailleur barrel adjuster	-	Accessory
RECORD™ Headset	-	General
RECORD™ front hub	-	General
RECORD™ rear hub	-	General
SUPER RECORD™ Bottle cage	-	General
SUPER RECORD™ Bottle	550 ml 750 ml thermal	General

TECH DATA



RIM BRAKE

COMPONENT	OPTIONS	WEIGHT [g]	WEIGHT REFERENCE
POTENZA 11™ rear derailleur	short cage medium cage	206	short cage
POTENZA 11™ Ergopower™ controls	-	372	Pair
POTENZA 11™ front derailleur	-	94	-
POTENZA 11™ crankset	170 mm 172,5 mm 175 mm 39-53 36-52 34-50	801	170 mm, 34-50 (2 bearings assembled)
RECORD™ ULTRA-TORQUE™ threaded cups	ITA: 70x (36x24 tpi) BSA: 68x (1,37"x24 tpi)	45	BSA
ULTRA-TORQUE™ press-fit cups	BB30: (68x42) mm BB86: (86,5x41) mm PF30: (68x46) mm BB386: (86,5x46) mm BB RIGHT: (79x46) mm BB30A: (73x42) mm	40	BB86
CAMPAGNOLO 11™ sprockets	11-25 11-27 11-29 11-32 12-27	251	11-25
CAMPAGNOLO 11™ chain	-	256	114 links
POTENZA 11™ brakes	-	319	Pair
DIRECT™ direct mount brake	Front Rear Seat Stay	183	1 piece
COMPLETE GROUPSET		2.339	

EXTRA COMPONENTS	OPTIONS	CATEGORY
Chain Guard	for braze-on for ø 32/35 clamp	Accessory
Front Derailleur Clamp	ø 32 mm ø 35 mm	Accessory
Front Derailleur cable deviator insert	-	Accessory
Front Derailleur barrel adjuster	-	Accessory
RECORD™ Headset	-	General
RECORD™ front hub	-	General
RECORD™ rear hub	-	General
SUPER RECORD™ Bottle cage	-	General
SUPER RECORD™ Bottle	550 ml 750 ml thermal	General

GROUPSETS

CENTAUR™

RIM BRAKE

COMPONENT	OPTIONS	WEIGHT [g]	WEIGHT REFERENCE
CENTAUR™ rear derailleur	-	230	short cage
CENTAUR™ Ergopower™ controls	-	373	Pair
CENTAUR™ front derailleur	-	103	-
CENTAUR™ crankset	170 mm 172,5 mm 175 mm 36-52 34-50	875	170 mm, 34-50 (2 bearings assembled)
RECORD™ ULTRA-TORQUE™ threaded cups	ITA: 70x (36x24 tpi) BSA: 68x (1,37"x24 tpi)	45	BSA
ULTRA-TORQUE™ press-fit cups	BB30: (68x42) mm BB86: (86,5x41) mm PF30: (68x46) mm BB386: (86,5x46) mm BB RIGHT: (79x46) mm BB30A: (73x42) mm	40	BB86
CENTUAR sprockets	11-29 11-32 12-32	291	11-29
CAMPAGNOLO 11™ chain	-	256	114 links
CENTAUR™ brakes	-	325	Pair
DIRECT™ direct mount brake	Front Rear Seat Stay	183	1 piece
COMPLETE GROUPSET		2.493	

EXTRA COMPONENTS	OPTIONS	CATEGORY
Chain Guard	for braze-on for ø 32/35 clamp	Accessory
Front Derailleur Clamp	ø 32 mm ø 35 mm	Accessory
Front Derailleur cable deviator insert	-	Accessory
Front Derailleur barrel adjuster	-	Accessory
RECORD™ Headset	-	General
RECORD™ front hub	-	General
RECORD™ rear hub	-	General
SUPER RECORD™ Bottle cage	-	General
SUPER RECORD™ Bottle	550 ml 750 ml thermal	General

TECH DATA

TRIATHLON / TIME-TRIAL

COMPONENT	OPTIONS	WEIGHT [g]	WEIGHT REFERENCE
RECORD™ TT EPS™ shifting levers	-	98	Pair
RECORD™ TT EPS™ brake levers	-	110	Pair
TT DTI™ EPS™ V3 interface	-	45	cables included
11s bar-end shifting levers	-	167	Pair
bar-end brake levers	-	106	Pair

PISTA

COMPONENT	OPTIONS	WEIGHT [g]	WEIGHT REFERENCE
RECORD™ PISTA crankset	165 mm 170 mm 47T 48T 49T 50T 51T 52T	592	165 mm, 47T
RECORD™ PISTA bottom bracket	-	220	-
RECORD™ headset	-	104	-

