

WHEELS

TECH DATA

ROAD - RIM BRAKE

	NOMINAL WEIGHT [g]*	RIM MATERIAL	RIM SECTION: HEIGHT/WIDTH - mm (NOMINAL)	ULTRA-FIT™	LABELS	REQUIRES RIM TAPE	RIM FINISHING	NUMBER OF SPOKES	DYNAMIC BALANCE	SPOKES MATERIAL	SPOKE TYPE	DIFFERENTIAL SPOKES R/L	NUT/NIPPLE MATERIAL	O.L.D. [mm]	HUB BODY MATERIAL	CUPS & CONES BEARINGS	BEARINGS VERSION	HUB FINISHING	SPOKE ANTI-ROTATION SYSTEM	COMPATIBILITY
--	---------------------	--------------	--	------------	--------	-------------------	---------------	------------------	-----------------	-----------------	------------	-------------------------	---------------------	-------------	-------------------	-----------------------	------------------	---------------	----------------------------	---------------

AERO CARBON WHEELS

BORA™ ULTRA™ TT rear tub.	864	carbon	D/20		B	carb			carbon				130	alu	•	C	black			9/10/11
BORA™ WTO 77 2-Way Fit™ front	755	carbon	77/26,5	•	B	UD	16		RDB	SS	UAE DB	alu	130	alu	•	C	black	•		
BORA™ WTO 60 2-Way Fit™ front	688	carb	60/26,5	•	B/D	UD	18		RDB	SS	UAE DB	alu	100	alu	•	U	black	•		
BORA™ WTO 60 2-Way Fit™ rear	859	carb	60/26,5	•	B/D	UD	21/G3™		RDB	SS	UAE DB	alu	130	alu	•	U	black	•		9/10/11/12
BORA™ WTO 60 2-Way Fit™ rear (HG)	859	carb	60/26,5	•	B/D	UD	21/G3™		RDB	SS	UAE DB	alu	130	alu	•	U	black	•		9/10/11

PERFORMANCE CARBON WHEELS

BORA™ ULTRA™ 35 rear tub.	480	carb	35/24,2		B/D	carb	18		RDB	SS	AE DB	alu	100	carb	•	C	blk/carb	•		
BORA™ ULTRA™ 35 rear tub.	690	carb	35/24,2		B/D	carb	21/G3™		RDB	SS	AE DB	alu	130	carb	•	C	blk/carb	•		9/10/11/12
BORA™ ULTRA™ 35 rear tub. (HG)	690	carb	35/24,2		B/D	carb	21/G3™		RDB	SS	AE DB	alu	130	carb	•	C	blk/carb	•		9/10/11
BORA™ ULTRA™ 50 front tub.	520	carb	50/24,2		B/D	carb	18		RDB	SS	AE DB	alu	100	carb	•	C	carb	•		
BORA™ ULTRA™ 50 rear tub.	695	carb	50/24,2		B/D	carb	21/G3™		RDB	SS	AE DB	alu	130	carb	•	C	blk/carb	•		9/10/11/12
BORA™ ULTRA™ 50 rear tub. (HG)	695	carb	50/24,2		B/D	carb	21/G3™		RDB	SS	AE DB	alu	130	carb	•	C	blk/carb	•		9/10/11
BORA™ ULTRA™ 80 front tub.	705	carb	80/20		B/D	carb	16		RDB	SS	AE DB	alu	100	carb	•	C	blk/carb	•		
BORA™ ULTRA™ 80 rear tub.	815	carb	80/20		B/D	carb	18/G3™		RDB	SS	AE DB	alu	130	carb	•	C	blk/carb	•		9/10/11/12
BORA™ ULTRA™ 80 rear tub. (HG)	854	carb	80/20		B/D	carb	18/G3™		RDB	SS	AE DB	alu	130	carb	•	C	blk/carb	•		9/10/11
BORA™ ONE 35 front tub.	505	carb	35/24,2		B/D	carb	18		RDB	SS	AE DB	alu	100	alu	•	U	black	•		
BORA™ ONE 35 rear tub.	710	carb	35/24,2		B/D	carb	21/G3™		RDB	SS	AE DB	alu	130	alu	•	U	black	•		9/10/11/12
BORA™ ONE 35 rear tub. (HG)	710	carb	35/24,2		B/D	carb	21/G3™		RDB	SS	AE DB	alu	130	alu	•	U	black	•		9/10/11
BORA™ ONE 50 front tub.	545	carb	50/24,2		B/D	carb	18		RDB	SS	AE DB	alu	100	alu	•	U	black	•		
BORA™ ONE 50 rear tub.	720	carb	50/24,2		B/D	carb	21/G3™		RDB	SS	AE DB	alu	130	alu	•	U	black	•		9/10/11/12
BORA™ ONE 50 rear tub. (HG)	720	carb	50/24,2		B/D	carb	21/G3™		RDB	SS	AE DB	alu	130	alu	•	U	black	•		9/10/11
BORA™ ULTRA™ 35 front cl.	575	carb	35/24,2		B/D	carb	18		RDB	SS	AE DB	alu	100	carb	•	C	blk/carb	•		
BORA™ ULTRA™ 35 rear cl.	785	carb	35/24,2		B/D	carb	21/G3™		RDB	SS	AE DB	alu	130	carb	•	C	blk/carb	•		9/10/11/12
BORA™ ULTRA™ 35 rear cl. (HG)	785	carb	35/24,2		B/D	carb	21/G3™		RDB	SS	AE DB	alu	130	carb	•	C	blk/carb	•		9/10/11
BORA™ ULTRA™ 50 front cl.	630	carb	50/24,2		B/D	carb	18		RDB	SS	AE DB	alu	100	carb	•	C	carb	•		
BORA™ ULTRA™ 50 rear cl.	805	carb	50/24,2		B/D	carb	21/G3™		RDB	SS	AE DB	alu	130	carb	•	C	blk/carb	•		9/10/11/12
BORA™ ULTRA™ 50 rear cl. (HG)	805	carb	50/24,2		B/D	carb	21/G3™		RDB	SS	AE DB	alu	130	carb	•	C	blk/carb	•		9/10/11
BORA™ ONE 35 front cl.	600	carb	35/24,2		B/D	carb	18		RDB	SS	AE DB	alu	100	alu	•	U	black	•		
BORA™ ONE 35 rear cl.	805	carb	35/24,2		B/D	carb	21/G3™		RDB	SS	AE DB	alu	130	alu	•	U	black	•		9/10/11/12
BORA™ ONE 35 rear cl. (HG)	805	carb	35/24,2		B/D	carb	21/G3™		RDB	SS	AE DB	alu	130	alu	•	U	black	•		9/10/11
BORA™ ONE 50 front cl.	655	carb	50/24,2		B/D	carb	18		RDB	SS	AE DB	alu	100	alu	•	U	black	•		
BORA™ ONE 50 rear cl.	830	carb	50/24,2		B/D	carb	21/G3™		RDB	SS	AE DB	alu	130	alu	•	U	black	•		9/10/11/12
BORA™ ONE 50 rear cl. (HG)	830	carb	50/24,2		B/D	carb	21/G3™		RDB	SS	AE DB	alu	130	alu	•	U	black	•		9/10/11

KEY

DB=Butted - AE=Aero - UAE=Ultra Aero - SS=Stainless steel - BR=Brass - S=steel - U=USB™ - C=CULT™ - SDB=Spoke Dynamic Balance - RDB=Rim Dynamic Balance
B=Bright - D=Dark - BLK SAT=black satinized

* Average weight - does not include the quick-release and the rim-tape - wheel weight may vary depending on the tolerance of the production process.

WHEELS

TECH DATA

ROAD - RIM BRAKE

ALU/CARBON WHEELS

	NOMINAL WEIGHT [g]*	RIM MATERIAL	RIM SECTION: HEIGHT/WIDTH - mm (NOMINAL)	ULTRA-FIT™	LABELS	REQUIRES RIM TAPE	RIM FINISHING	NUMBER OF SPOKES	DYNAMIC BALANCE	SPOKES MATERIAL	SPOKE TYPE	DIFFERENTIAL SPOKES R/L	NIPPLE MATERIAL	O.L.D. [mm]	HUB BODY MATERIAL	CUPS & CONES BEARINGS	BEARINGS VERSION	HUB FINISHING	SPOKE ANTI-ROTATION SYSTEM	COMPATIBILITY
BULLET™ ULTRA™ front cl.	727	alu/carb	50/20,5		B/D	carb	18		RDB	SS	AE DB		alu	100	alu	•	U/C	black	•	
BULLET™ ULTRA™ rear cl.	863	alu/carb	50/20,5		B/D	carb	21/G3™		RDB	SS	AE DB		alu	130	alu	•	U/C	black	•	9/10/11/12
BULLET™ ULTRA™ rear cl. (HG)	902	alu/carb	50/20,5		B/D	carb	21/G3™		RDB	SS	AE DB		alu	130	alu	•	U/C	black	•	9/10/11
BULLET™ front cl.	785	alu/carb	50/20,5		B	carb	18		RDB	SS	AE DB		BR	100	alu		S	black	•	
BULLET™ rear cl.	970	alu/carb	50/20,5		B	carb	21/G3™		RDB	SS	AE DB		BR	130	alu		S	black	•	9/10/11/12
BULLET™ rear cl. (HG)	1009	alu/carb	50/20,5		B	carb	21/G3™		RDB	SS	AE DB		BR	130	alu		S	black	•	9/10/11

ALUMINIUM WHEELS

SHAMAL™ MILLE™ front cl.	638	alu	24-27/22		D	blk sat	16		RDB	alu	AE DB		alu	100	alu/carb	•	U	blk/carb	•	
SHAMAL™ MILLE™ rear cl.	821	alu	27-30/22		D	blk sat	21/G3™		RDB	alu	AE DB		alu	130	alu/carb	•	U	blk/carb	•	9/10/11/12
SHAMAL™ MILLE™ rear cl. (HG)	821	alu	27-30/22		D	blk sat	21/G3™		RDB	alu	AE DB		alu	130	alu/carb	•	U	blk/carb	•	9/10/11
SHAMAL™ ULTRA™ front cl.	623	alu	24-27/22		B	black	16		RDB	alu	AE DB		alu	100	alu/carb	•	U	blk/carb	•	
SHAMAL™ ULTRA™ rear cl.	826	alu	27-30/22		B	black	21/G3™		RDB	alu	AE DB		alu	130	alu/carb	•	U	blk/carb	•	9/10/11/12
SHAMAL™ ULTRA™ rear cl. (HG)	826	alu	27-30/22		B	black	21/G3™		RDB	alu	AE DB		alu	130	alu/carb	•	U	blk/carb	•	9/10/11
SHAMAL™ ULTRA™ 2-Way Fit™ front	641	alu	24-27/22	•	B	black	16		RDB	alu	AE DB		alu	100	alu/carb	•	U	blk/carb	•	
SHAMAL™ ULTRA™ 2-Way Fit™ rear	834	alu	27-30/22	•	B	black	21/G3™		RDB	alu	AE DB		alu	130	alu/carb	•	U	blk/carb	•	9/10/11/12
SHAMAL™ ULTRA™ 2-Way Fit™ rear (HG)	834	alu	27-30/22	•	B	black	21/G3™		RDB	alu	AE DB		alu	130	alu/carb	•	U	blk/carb	•	9/10/11
EURUS™ front cl.	640	alu	24-27/20		B	black	16		RDB	alu	AE DB		alu	100	alu	•	S	black	•	
EURUS™ rear cl.	825	alu	27-30/20		B	black	21/G3™		RDB	alu	AE DB		alu	130	alu	•	S	black	•	9/10/11/12
EURUS™ rear cl. (HG)	864	alu	27-30/20		B	black	21/G3™		RDB	alu	AE DB		alu	130	alu	•	S	black	•	9/10/11
EURUS™ 2-Way Fit™ front	645	alu	24-27/20	•	B	black	16		RDB	alu	AE DB		alu	100	alu	•	S	black	•	
EURUS™ 2-Way Fit™ rear	840	alu	27-30/20	•	B	black	21/G3™		RDB	alu	AE DB		alu	130	alu	•	S	black	•	9/10/11/12
EURUS™ 2-Way Fit™ rear (HG)	879	alu	27-30/20	•	B	black	21/G3™		RDB	alu	AE DB		alu	130	alu	•	S	black	•	9/10/11
ZONDA™ front cl.	678	alu	24-27/22		B	black	16		RDB	SS	AE DB		BR	100	alu	•	S	black	•	
ZONDA™ rear cl.	862	alu	27-30/22		B	black	21/G3™		RDB	SS	AE DB		BR	130	alu	•	S	black	•	9/10/11/12
ZONDA™ rear cl. (HG)	862	alu	27-30/22		B	black	21/G3™		RDB	SS	AE DB		BR	130	alu	•	S	black	•	9/10/11
SCIROCCO™ front cl.	820	alu	35/22		B	• black	16			SS	AE DB		alu	100	alu		S	black	•	
SCIROCCO™ rear cl.	935	alu	35/22		B	• black	21/G3™			SS	AE DB		alu	130	alu		S	black	•	9/10/11/12
SCIROCCO™ rear cl. (HG)	935	alu	35/22		B	• black	21/G3™			SS	AE DB		alu	130	alu		S	black	•	9/10/11
KHAMSIN™ front cl.	813	alu	24/22		B	• black	18			S		•	BR	100	alu		S	black	•	
KHAMSIN™ rear cl.	993	alu	27,5/22		B	• black	24/G3™			S/SS		•	BR	130	alu		S	black	•	9/10/11/12
KHAMSIN™ rear cl. (HG)	993	alu	27,5/22		B	• black	24/G3™			S/SS		•	BR	130	alu		S	black	•	9/10/11
CALIMA™ front cl.	789	alu	24/22		B	• black	18			S			BR	100	alu		S	black	•	
CALIMA™ rear cl.	1037	alu	24/22		B	• black	27/G3™			S			BR	130	alu		S	black	•	9/10/11/12
CALIMA™ rear cl. (HG)	1089	alu	24/22		B	• black	27/G3™			S			BR	130	alu		S	black	•	9/10/11
NEUTRON™ ULTRA™ front cl.	630	alu	18/20,5		B	• black	22			SS	AE DB	•	alu	100	alu/carb	•	S	blk/carb	•	
NEUTRON™ ULTRA™ rear cl.	840	alu	18/20,5		B	• black	24			SS	AE DB	•	alu	130	alu/carb	•	S	blk/carb	•	9/10/11/12
NEUTRON™ ULTRA™ rear cl. (HG)	879	alu	18/20,5		B	• black	24			SS	AE DB	•	alu	130	alu/carb	•	S	blk/carb	•	9/10/11

KEY

DB=Butted - AE=Aero - UAE=Ultra Aero - SS=Stainless steel - BR=Brass - S=steel - U=USB™ - C=CULT™ - SDB=Spoke Dynamic Balance - RDB=Rim Dynamic Balance
B=Bright - D=Dark - BLK SAT=black satinized

* Average weight - does not include the quick-release and the rim-tape - wheel weight may vary depending on the tolerance of the production process.

WHEELS

TECH DATA

ROAD - DISC BRAKE

PERFORMANCE CARBON WHEELS

	NOMINAL WEIGHT (g)*	RIM MATERIAL	RIM SECTION: HEIGHT/WIDTH - mm (NOMINAL)	ULTRA-FIT™	LABELS	REQUIRES RIM TAPE	RIM FINISHING	NUMBER OF SPOKES	DYNAMIC BALANCE	SPOKES MATERIAL	SPOKE TYPE	DIFFERENTIAL SPOKES R/L	NIPPLE MATERIAL	O.L.D. (mm)	HUB BODY MATERIAL	CUPS & CONES BEARINGS	BEARINGS VERSION	HUB FINISHING	SPOKE ANTI-ROTATION SYSTEM	COMPATIBILITY
BORA™ ONE 35 front cl.	690	carb	35/23,5		B/D	carb	24/G3™		RDB	SS	AE DB	alu	100	alu	•	U	black	•		
BORA™ ONE 35 rear cl.	793	carb	35/23,5		B/D	carb	24/G3™		RDB	SS	AE DB	alu	130	alu	•	U	black	•		9/10/11/12
BORA™ ONE 35 rear cl. (HG)	793	carb	35/23,5		B/D	carb	24/G3™		RDB	SS	AE DB	alu	130	alu	•	U	black	•		9/10/11
BORA™ ONE 35 front tub.	585	carb	35/24,2		B/D	carb	24/G3™		RDB	SS	AE DB	alu	100	alu	•	U	black	•		
BORA™ ONE 35 rear tub.	691	carb	35/24,2		B/D	carb	24/G3™		RDB	SS	AE DB	alu	130	alu	•	U	black	•		9/10/11/12
BORA™ ONE 35 rear tub. (HG)	691	carb	35/24,2		B/D	carb	24/G3™		RDB	SS	AE DB	alu	130	alu	•	U	black	•		9/10/11
BORA™ ONE 50 front cl.	702	carb	50/24,2		B/D	carb	24/G3™		RDB	SS	AE DB	alu	100	alu	•	U	black	•		
BORA™ ONE 50 rear cl.	805	carb	50/24,2		B/D	carb	24/G3™		RDB	SS	AE DB	alu	130	alu	•	U	black	•		9/10/11/12
BORA™ ONE 50 rear cl. (HG)	805	carb	50/24,2		B/D	carb	24/G3™		RDB	SS	AE DB	alu	130	alu	•	U	black	•		9/10/11
BORA™ ONE 50 front tub.	622	carb	50/24,2		B/D	carb	24/G3™		RDB	SS	AE DB	alu	100	alu	•	U	black	•		
BORA™ ONE 50 rear tub.	726	carb	50/24,2		B/D	carb	24/G3™		RDB	SS	AE DB	alu	130	alu	•	U	black	•		9/10/11/12
BORA™ ONE 50 rear tub. (HG)	726	carb	50/24,2		B/D	carb	24/G3™		RDB	SS	AE DB	alu	130	alu	•	U	black	•		9/10/11

ALUMINIUM WHEELS

SHAMAL™ ULTRA™ 2-Way Fit™ front	738	alu	24-27/22	•	B/D	black	21/G3™		RDB	alu	AE DB	alu	100	alu/carb	•	U	blk/carb	•		
SHAMAL™ ULTRA™ 2-Way Fit™ rear	854	alu	27-30/22	•	B/D	black	21/G3™		RDB	alu	AE DB	alu	130	alu	•	U	black	•		9/10/11/12
SHAMAL™ ULTRA™ 2-Way Fit™ rear (HG)	842	alu	27-30/22	•	B/D	black	21/G3™		RDB	alu	AE DB	alu	130	alu	•	U	black	•		9/10/11
ZONDA™ DB front cl.	786	alu	26-28/22		B	black	21/G3™		RDB	SS	AE DB	alu	100	alu	•	S	black	•		
ZONDA™ DB rear cl.	889	alu	26-28/22		B	black	21/G3™		RDB	SS	AE DB	alu	135-142	alu	•	S	black	•		9/10/11/12
ZONDA™ DB rear cl. (HG)	889	alu	26-28/22		B	black	21/G3™		RDB	SS	AE DB	alu	135-142	alu	•	S	black	•		9/10/11
SCIROCCO™ DB 2-Way Fit™ ready front	819	alu	33/23,5	•	B	• black	21/G3™			SS		alu	100	alu		S	black			
SCIROCCO™ DB 2-Way Fit™ ready rear	920	alu	33/23,5	•	B	• black	21/G3™			SS		alu	135-142	alu		S	black			9/10/11/12
SCIROCCO™ DB 2-Way Fit™ ready rear (HG)	920	alu	33/23,5	•	B	• black	21/G3™			SS		alu	135-142	alu		S	black			9/10/11

TRIATHLON - TIME TRIAL

BORA™ ULTRA™ TT rear tub.	864	carbon	D/20		B	carb				carbon			130	alu	•	C	black			9/10/11
---------------------------	-----	--------	------	--	---	------	--	--	--	--------	--	--	-----	-----	---	---	-------	--	--	---------

PISTA

GHIBLI™ front tub. track	800	carb	D/20										100	alu	•	C				
GHIBLI™ rear tub. track	825	carb	D/20										120	alu	•	C				
PISTA™ front tub. track	995	alu	38/20		B	black	20			SS	AE	alu	100	alu	•	S	black			
PISTA™ rear tub. track	1040	alu	38/20		B	black	24			SS		alu	120	alu	•	S	black			
BORA™ ULTRA™ 80 front tub. track	705	carb	80/20		B	carb	16		RDB	SS	AE DB	alu	100	carb	•	C	blk/carb			

KEY

DB=Butted - AE=Aero - UAE=Ultra Aero - SS=Stainless steel - BR=Brass - S=steel - U=USB™ - C=CULT™ - SDB=Spoke Dynamic Balance - RDB=Rim Dynamic Balance
B=Bright - D=Dark - BLK SAT=black satinized

* Average weight - does not include the quick-release and the rim-tape - wheel weight may vary depending on the tolerance of the production process.