





RIM		
	FRONT/REAR RIM 2-WAY FIT™ VALVE L=44 VALVE HOLE VALVE HOLE BUSHING DIAMETER	WH-03LV (lasered) VA-2WF44 6,5 mm WH-BUU002 (5 pcs.)  700C(622 X 25C)

SPOKES		
FRONT /REAR LH 292,5 mm REAR RH 291 mm NIPPLES NIPPLE INSERT NIPPLE MAGNET NIPPLE SPANNER NIPPLE SPANNER TOOL TO LOCK THE SPOKES	WH-01LV WH-02LV WH-04LV UT-WH160 UT-WH050 UT-WH280 UT-WH090 T-25	4 spokes + 4 nipples 4 spokes + 4 nipples 10 pieces magnet-attractor for nipple nipple-guide (tools for Service Centers) (tools for Shop)

ACCESSORIES		
Spacer for HG11 FW body	FH-BUU001	5 pcs - to be used only with 9/10s sprockets (HG11 FW body package contains the spacer)
AFS™ lockring	4-M1-101B	to fix the rotor



HUBS		
	HB-RE100 HUB KIT 2 x E 2 x F 2 x G 2 x H	
	HB-RE100 HUB KIT 2 x E 2 x F 2 x G 2 x H	

Complete FW body Ø 33 mm/ Corpetti RL completi Ø 33 mm FH-HGA33 (HG 9/12) - FH-N3WA33 (Campagnolo N3W) - FH-XDRA33 (XDR)


RIM		
	VALVE HOLE	6,5 mm
	VALVE EXTENSION	UT-WH140M (male extension)
	2-WAY FIT™ VALVE	VA-2WF44
	VALVE HOLE BUSHING	WH-BUU002 (5 pcs.) 
	DIAMETER	700C (622 x 21C)

SPOKES		
FRONT RIGHT	WH-01BWU80	4 spokes + 4 nipples
FRONT LEFT/REAR RIGHT	WH-02BWU80	4 spokes + 4 nipples
REAR LEFT	WH-03BWU80	4 spokes + 4 nipples + 4 washers
NIPPLES	WH-05BWU45	10 pieces
NIPPLE INSERT + SPANNER	UT-WH290	magnet-attractor for nipple + wrench
NIPPLE MAGNET	UT-WH050	nipple-guide

ACCESSORIES		
Spacer for HG11 FW body	FH-BUU001	5 pcs - to be used only with 9/10s sprockets (HG11 FW body package contains the spacer)
AFS™ lockring	4-M1-101B	to fix the rotor


HUBS	
	HB-HY100 CULT™ KIT 2 x E, 2 x F, 2 x G, 2 x H
	HB-HY100 CULT™ KIT 2 x E, 2 x F, 2 x G, 2 x H
Complete FW body Ø 33 mm/ Corpetti RL completi Ø 33 mm	
FH-HGA33 (HG 9/12) - FH-N3WA33 (Campagnolo N3W) - FH-XDRA33 (XDR)	

BORA ULTRA WTO TT

RIM		
	VALVE HOLE STICKERS VALVE HOLE BUSHINGS 2-WAY FIT™ VALVE DIAMETER	WH-100BOTT (5 pcs) WH-BUU002 (5 pcs.) VA-2WF55 700C (622 x 19C)




HB-HY100
CULT™ KIT
2 x E, 2 x F,
2 x G, 2 x H



Complete FW body Ø 33 mm/ Corpetti RL completi Ø 33 mm	FH-HGA33 (HG 9/11) - FH-N3WA33 (Campagnolo N3W) - FH-XDRA33 (XDR)
To the N3W f.w. body, to be compatible with 11-12s, you need: N3W adapter + locking (CS-702): AC21-N3W (See component price list); Corpetto r.l. N3W, per essere compatibile 11-12s, serve: adattatore N3W + ghiera (CS-702): AC21-N3W (Vedi Listino componenti) For Z12 first sprocket locking CS-703 is necessary / Per primo pignone Z12 serve ghiera CS-703	

TOOLS & ACCESSORIES



T-25 **LEVANTE**
Chiave anti-rotazione raggi
Spoke antirotation tool